

CATALOG 2018

 **PAGID**
RACING
THE DIFFERENCE IN BRAKING

RACING BRAKE PRODUCTS

PADS • DISCS • FLUID

INDEX



**PAGID Racing
Company**

6



**Racing
Brake Discs**

38



**Quality
& Performance**

8



**Racing
Brake Fluid**

44

Racing Brake Pads



PAGID RSL
ENDURANCE
RACING BRAKE PADS

12



PAGID RST
RALLY, SPRINT AND
STOCK CAR RACING BRAKE PADS

18

RALLY RST 5 – THE REVOLUTION
IN RALLY BRAKING, PAGE 23



PAGID RS
ALLROUND
RACING BRAKE PADS

24



PAGID RSC
RACING BRAKE PADS FOR
CERAMIC COMPOSITE DISCS

28



PAGID RSH
RACING BRAKE PADS
FOR HISTORIC CARS

32

PAGID Racing Pad Shape No.	Part	Disc
8050		
8070		8001
1427		
4703		2055
4931		4304


**Application List
Race Cars**
RACING BRAKE PADS

47

Pad Thickness	PAGID Racing Pad Shape No.
20 / 22 / 25 mm	1595 / 1607 / 8337 / 16
30 mm	
29 mm	2016
19 mm	2488
20 mm	

**Application List
Caliper**
RACING BRAKE PADS

69



Shape List
RACING BRAKE PADS

77

Available in following compounds:	Compound RST	Compound RS	Compound RSC	Compound RSH
Part 1	Part 2	Part 3	Part 4	Part 5


**Compound
Guide**
RACING BRAKE PADS

129



**Technical
Information**

138



Bedding In
RACING BRAKE PADS

36



Tips

140





About PAGID Racing



PAGID Racing is the exclusive motor-sport brand of the TMD Performance. As a member of the TMD Friction Group, TMD Performance is the world-wide sole distributor of PAGID Racing products and high performance brake pads for street legal cars.

The brake products are designed to produce the highest possible performance levels over a wide range of operating conditions, and are available in many different material formulations. They fit most popular

racing and high performance calipers and also may be fitted as an upgrade to many standard calipers for high performance cars.

In addition, PAGID Racing brake products are fitted as original equipment to some of the most prestigious and powerful production cars in the world including Audi, Bugatti, Ferrari and Porsche.

With the facilities in Leverkusen & Essen (Germany) and Troy (USA), TMD Performance is one of only a small number of companies capable of developing and manufacturing brake friction solutions according to customer-specific technical requirements in a short time.

PAGID Racing History

...

2017



Best in class: victory for Aston Martin Racing in GTE PRO at the 24 Hours of Le Mans (FIA WEC).



2017 FIA F3 European Champion and best rookie: Lando Norris, Carlin – FIA F3 Team.

2017

PAGID Racing celebrates 30 years THE DIFFERENCE IN BRAKING.



2017

2017



Kantadhee Kusiri is crowned 2017 TCR Asia Champion, Liqui Moly Team Engstler clinches the teams' title.

2016



Historic quadruple victory at the 24h Race-Nürburgring: the AMG-Team BLACK FALCON was victorious with its #4 Mercedes-AMG GT3. In total, seven teams relying on PAGID Racing brake performance made it into the top ten.



Three world championship titles for Manthey Racing in the FIA World Endurance Championship: victory in the LMGTE PRO teams' standings, in the GT drivers' standings for Richard Lietz and in the manufacturers' standings for Porsche

2015

11/11/2015

TMDPERFORMANCE
A NISSHINBO GROUP COMPANY

bt Bremsen Technik GmbH becomes
TMD Performance GmbH

2010

TMD Friction owns 100 % of PAGID Racing

2001

...



Following the sale of BBA Group's automotive friction business, TMD Friction is born. TMD Friction grows into one of the world's leading friction manufacturers and provided a home for PAGID Racing.



PAGID Racing became the official brake pad of the new Porsche Carrera Cup. A strong co-operation for almost a quarter of a century.

First "coloured pads" yellow, red, orange and blue give the teams and drivers an easy recognition – a **premiere in motorsports**.

Start of brake pads delivery for the first Porsche 944 Turbo Cup

Foundation of bt Bremsen Technik GmbH, the products specially for competition use are sold under the name PAGID Racing Brake Pads.



Presswerk AG (PAG) manufactures furniture related products in Essen, Germany. They are also commissioned to produce brake friction materials for, the HermanKirchbach'schen Werke in Coswig.

2000

2000



PAGID Racing develops the first brake pad for patented carbon ceramic brake discs for high-performance production cars.

Thus, in 2000, the Porsche 996 GT3 and the Mercedes-Benz CL 55 AMG "F1 Limited Edition" become the world's first road-legal cars to be equipped with ceramic brake discs and PAGID Racing brake pads.

1990

1988

Carlos Sainz is one of the first driver who used PAGID Racing in a rally.

1988



Driven by Germans Hans Joachim Stuck and Walter Röhrl, Audi's entry into the Trans-Am series was courtesy of the manufacturer's 200 turbo Quattro. Equipped with PAGID's racing brake pads, the team won six out of 13 races in 1988.

1988

1987

01/10/1987

Under the brand name Pagid, the PAG company starts to market their own friction products for commercial vehicles and trailer applications. Over the following years, Pagid grows into a renowned brand name, not least known for its expertise in high performance and racing vehicles.



1953

1925

1878



Early brakes were little more than wooden blocks with simple levers. The development of vehicle braking as we know it today began when Walter Willson Cobbett Ltd realized their woven belting could be easily adapted and used as friction material to bring motor cars to a stop.

Quality and Performance

+ MAXIMUM PERFORMANCE

We are proud of the performances of our products and are the absolute benchmark in many areas. For us performance means coordination of the product characteristics friction level, fade resistance, disc wear and modulation.

+ SAFETY

Safety is our top priority. Early in the development of our products we set absolute priorities. For example, the brass studs that are welded to the base plate provide a much stronger anchoring of the friction material to the base plate – even under the most extreme conditions.

+ TEST & INNOVATION

Our products are constantly subjected to the most challenging real world test – not only to guarantee consistent performance and durability, but also to continuously refine and develop our products in lab testing, we use our computer-assisted systems to duplicate the toughest tests on different race courses all over the world.

+ OE COMPETENCE

Our efficiency is also documented by numerous original equipment partnerships. Besides, manufacturers like Aston Martin and Mazda rely on our performances and reliability.



+ 100 % QUALITY

All PAGID Racing products are produced using the most modern technical procedures. Our uncompromising production requirements provide consistent quality at the highest level.

+ TRUST & SUCCESS

For decades our worldwide partners and teams have trusted our products and every year have been rewarded with numerous victories and championships. There have been some races where more than half the participants have competed using our products. Performance creates trust!

+ BEDDING IN SERVICE


Our racing brake pads and discs are available "ready to race", perfectly bedded-in on our dedicated computerized system.







ENDURANCE RACING BRAKE PADS



AVAILABLE RSL RACING BRAKE PAD COMPOUNDS


RSL 1	RSL 2	RSL 19	RSL 29
-------	-------	--------	--------

The available specifications can be found in our detailed product listings from page 77. PAGID Racing RSL compounds are developed to comply with the latest requirements in endurance racing and meet or surpass all current ecological standards of the automotive industry.

BEDDING IN SERVICE

You can also acquire our Racing Brake Pads 'ready to race', perfectly bedded in on our computer system. Further information can also be found on page 36. Please ask your dealer about our 'Bedding In Service'.

FRICTION vs. TEMPERATURE RSL







+ HIGH FRICTION COEFFICIENT

+ LONG PAD AND DISC LIFE

+ GOOD FRICTION STABILITY VS. TEMPERATURE



FRICION vs. TEMPERATURE RSL 1



APPLICATION RANGE


Used in GT cars, Touring cars and prototype endurance racing. Due to the high friction and good modulation, often used in sprint races as well.

DESCRIPTION

RSL 1 is a low metallic resin bonded material containing steel and acrylic fibers. It maintains a constant friction level over a wide range of temperatures. Its low wear rate and disc friendliness makes this material appropriate for endurance races.



- + MEDIUM HIGH FRICTION COEFFICIENT**
- + LONG PAD AND DISC LIFE**
- + EXCELLENT FRICTION STABILITY VS. TEMPERATURE**



APPLICATION RANGE

GT cars, Touring cars and prototype endurance racing. Due to excellent modulation characteristics often also used in sprint races.


DESCRIPTION

RSL 2 is based on the RSL 1 compound but has been further improved in terms of pad and disc life as well as friction stability vs. temperature. It is a low metallic resin bonded material containing steel and acrylic fibers. Furthermore, it maintains a constant friction level over a wide range of temperatures.





- + MEDIUM FRICTION COEFFICIENT**
- + STABLE IN-STOP FRICTION**
- + VERY DISC FRIENDLY AND LONG PAD LIFE**



APPLICATION RANGE

Rear axle usage in combination with RSL 1 and RSL 2 on the front axle in heavier cars (GT3/ GTE). Front axle usage for lighter GT and Touring cars.

DESCRIPTION

RSL 19 is a low metallic resin bonded material containing steel and acrylic fibers. It maintains a constant friction level across a broad range of temperatures. The material features very good modulation and release characteristic.






+ MEDIUM FRICTION COEFFICIENT

+ LONG PAD AND DISC LIFE

+ EASY BEDDING



FRICTION vs. TEMPERATURE RSL 29




APPLICATION RANGE

Very popular in club racing and track days. GT cars, Touring cars and prototype endurance racing. Due to excellent modulation characteristics also often used in sprint races.

DESCRIPTION

RSL 29 features very good modulation and release characteristics. It is a low metallic resin bonded material containing steel and acrylic fibers. The friction level of the material maintains constant at a low-medium level. Another advantage is the easy bedding in behavior.





AVAILABLE RST RACING BRAKE PAD COMPOUNDS


RST 1	RST 2	RST 3	RST 4	RST 5
-------	-------	-------	-------	-------

The available specifications can be found in our detailed product listings from page 77. PAGID Racing RST compounds are developed to comply with the latest requirements for rally, sprint and stock car racing. They meet or surpass all current ecological standards of the automotive industry.

BEDDING IN SERVICE

You can also acquire our Racing Brake Pads 'ready to race', perfectly bedded in on our computer system. Further information can also be found on page 36. Please ask your dealer about our 'Bedding In Service'.

FRICTION vs. TEMPERATURE RST






+ VERY HIGH FRICTION COEFFICIENT

+ HIGH INITIAL BITE

+ PROGRESSIVE TORQUE CURVE

+ VERY FADE RESISTANT



APPLICATION RANGE

Rally tarmac, GT cars and Touring cars circuit racing (sprint), high down-force formula cars, NASCAR. Suitable for applications in heavy cars and where high torque is necessary against small diameter rotors.

DESCRIPTION

RST 1 has a very high friction level and high temperature resistance. It is a semi metallic resin bonded material containing steel and acrylic fibers. Cold friction and initial bite makes this material most appropriate for Rally and NASCAR applications.





+ MEDIUM HIGH FRICTION COEFFICIENT


+ GOOD INITIAL BITE

+ MILD PROGRESSIVE TORQUE CURVE

+ GOOD PEDAL FEEL



FRICION vs. TEMPERATURE RST 2



APPLICATION RANGE

Rally tarmac, GT cars and Touring cars circuit racing and NASCAR. Also used as rear pad in combination with RST 1 front. Recommended for GT and Touring car racing on tracks where higher temperatures are an issue.

DESCRIPTION

RST 2 is a semi metallic resin bonded material containing steel and acrylic fibers. Cold friction and initial bite makes this material most appropriate for Rally and NASCAR applications.



+ HIGH FRICTION COEFFICIENT


+ GOOD INITIAL BITE

+ LOW HEAT CONDUCTIVITY

**+ EXCELLENT MODULATION
AND RELEASE CHARACTERISTICS**



FRICION vs. TEMPERATURE RST 3



APPLICATION RANGE

Rally tarmac and gravel, GT cars, Touring cars and prototype circuit racing, formula cars and club racing. Wide range of applications due to its combination of bite, friction and controllability.

DESCRIPTION

RST 3 is a medium-high friction metal-ceramic compound containing steel and acrylic fibers and is therefore the perfect complement of the RST product family. It captivates by its low heat conductivity.






+ MEDIUM FRICTION COEFFICIENT

+ GOOD INITIAL BITE

+ MILD PROGRESSIVE TORQUE CURVE

+ HIGH HEAT TOLERANCE WITH CONSISTENT FEEL



APPLICATION RANGE

Formula cars and open wheel racing. Rear axle material for Rally (tarmac and gravel) and for all front engine cars. Also used in NASCAR on long ovals.

DESCRIPTION

RST 4 is a semi metallic resin bonded material containing steel and acrylic fibers. This material has a medium friction level and high temperature resistance.




+ OPTIMUM THERMAL MANAGEMENT


+ HIGHLY FLUID FADE RESISTANT

**+ HIGHLY DEVELOPED
RECOVERY PROPERTIES**

**+ EXTREMELY HIGH
FRICTION COEFFICIENT**



FRICITION vs. TEMPERATURE RST 5



APPLICATION RANGE


Specifically designed and developed for rally racing. Comes in a variety of established pad shapes in rally sports, especially in WRC and Group R.

DESCRIPTION

The optimized thermal management provides ideal performance from low temperatures to extremely high temperature conditions. The generated heat stays in the brake pad and does not move into the brake fluid. With its high initial bite and generally high friction level the RST 5 perfectly manages the balance between high aggression and prevention of wheel spin, providing the driver with a feeling of reliability and outstanding performance.



ALLROUND RACING BRAKE PADS




AVAILABLE RS RACING BRAKE PAD COMPOUNDS

RS 14	RS 42	RS 44
-------	-------	-------



The available specifications can be found in our detailed product listings from page 77. PAGID Racing RS compounds are developed to comply with the latest requirements in racing and meet or surpass all current ecological standards of the automotive industry.

FRICTION vs. TEMPERATURE RS





- + MEDIUM HIGH FRICTION COEFFICIENT**
- + GOOD INITIAL BITE**
- + VERY GOOD MODULATION AND CONTROLLABILITY**
- + LOW WEAR RATE AND FADE RESISTANT UP TO 700°C**



APPLICATION RANGE

GT cars, Touring cars for club racing and track days.

DESCRIPTION

RS 14 features good allround characteristics for many applications. It is a low metallic resin bonded material containing steel and acrylic fibers.




+ MEDIUM FRICTION COEFFICIENT

+ MEDIUM INITIAL BITE

+ GOOD COLD FRICTION



FRICTION vs. TEMPERATURE RS 42



APPLICATION RANGE

Classic rally pad and also very popular in small formula and Touring cars.

DESCRIPTION

RS 42 is a low metallic resin bonded material containing steel and acrylic fibers. The characteristics make this material appropriate for small formula cars.






+ MEDIUM FRICTION COEFFICIENT

+ MEDIUM INITIAL BITE

+ EXCELLENT MODULATION



FRICITION vs. TEMPERATURE RS 44



APPLICATION RANGE


Very good rear axle pad for all front engine cars.
Very popular club racing compound.

DESCRIPTION

RS 44 works for formula cars all the way up to lighter passenger cars. It is a low metallic resin bonded material containing steel and acrylic fibers. The smooth progression of friction from cold to hot makes this material easy to work with.



RACING BRAKE PADS FOR CERAMIC COMPOSITE DISCS



AVAILABLE RSC RACING BRAKE PAD COMPOUNDS


RSC 1	RSC 2	RSC 3
-------	-------	-------

Amazing track day and club sport material for a wide application range of performance cars.

The available specifications can be found in our detailed product listings from page 77.

PAGID Racing RSC compounds are developed to comply with the latest requirements in ceramic composite brake disc technology and meet or surpass all current ecological standards in the automotive industry.

FRICTION vs. TEMPERATURE RSC






+ MEDIUM FRICTION COEFFICIENT

**+ GOOD ALLROUND
PERFORMANCE CHARACTERISTICS**

+ DISC FRIENDLY



FRICTION vs. TEMPERATURE RSC 1



APPLICATION RANGE

Race and track day compound for all known types of ceramic brake discs.


DESCRIPTION

RSC 1 is a low metallic resin bonded material containing steel and acrylic fibers. This material features good all-round characteristics and is suitable for all types of usage.





- + MEDIUM HIGH FRICTION COEFFICIENT**
- + EXCELLENT FADE RESISTANCE**
- + LONG PAD LIFE**



APPLICATION RANGE

Special race compound for ceramic discs with a high content of fibers in the friction surface for sprint and endurance circuit racing.

DESCRIPTION

RSC 2 is a low metallic resin bonded material containing steel and acrylic fibers. This material is specifically developed for above mentioned applications.






+ HIGH FRICTION COEFFICIENT

+ EXCELLENT FADE RESISTANCE

+ LONG PAD LIFE



FRICTION vs. TEMPERATURE RSC 3




APPLICATION RANGE

Special race compound for ceramic discs with low content of fibers in the friction surface for sprint and endurance circuit racing.

DESCRIPTION

RSC 3 is a low metallic resin bonded material containing steel and acrylic fibers. This material is specifically developed for above mentioned applications.




AVAILABLE RSH RACING BRAKE PAD COMPOUNDS

RSH 3	RSH 29E	RSH 42
-------	---------	--------

The available specifications can be found in our detailed product listings from page 77. PAGID Racing RSH compounds are developed to comply with the latest requirements in historic racing and meet or surpass all current ecological standards of the automotive industry. Available model years in the extensive application range starts in the late 50s and goes up to the 90s.

FRICTION vs. TEMPERATURE RSH





+ HIGH FRICTION COEFFICIENT


+ LOW THERMAL CONDUCTIVITY

+ FADE RESISTANT UP TO 800°C

+ CONSISTENTLY FIRM PEDAL AT ALL TEMPERATURES



FRICION vs. TEMPERATURE RSH 3



APPLICATION RANGE

Useable for Rally, GT and Touring cars for circuit racing and also for club racing.


DESCRIPTION

The RSH 3 is an organic compound optimized for sprint races with historic cars. Due to the perfect combination of the main characteristics we can offer a wide application range. It captivates with its high initial bite and excellent modulation and release characteristics.





- + MEDIUM TO HIGH FRICTION COEFFICIENT**
- + VERY GOOD THERMAL STABILITY**
- + LOW PEDAL EFFORT**
- + SLIGHTLY PROGRESSIVE IN-STOP BEHAVIOR AND GOOD MODULATION**
- + LONG PAD AND DISC LIFE**



APPLICATION RANGE

Typical purposes are GT and Touring cars in endurance races. Due to its friction level you can also use it in sprint races as well.

DESCRIPTION

The RSH 29E is excellent for endurance racing with historic cars. It convinces with its long pad and disc life and requires less pedal effort during the race. A further advantage is the constant friction level over a wide range of temperatures.





+ LOW TO MEDIUM FRICTION COEFFICIENT


+ GOOD COLD FRICTION

+ IMMEDIATE LOW TEMPERATURE RESPONSE

+ VERY EASY BEDDING PROCESS



FRICION vs. TEMPERATURE RSH 42



APPLICATION RANGE

An excellent classic rally pad which is also very popular in small formula cars.

DESCRIPTION

The characteristics of RSH 42 make this material appropriate for small formula cars. Furthermore, you can use it as rear axle compound in combination with the RSH 29E on the front axle.



Bedding In

Our racing brake pads are also available pre-bedded "ready to race". Please ask your local dealer for our brake pads pre-bedded.



GET THE MAXIMUM OUT OF YOUR BRAKE WITH A MINIMUM AMOUNT OF TIME WHILE SAVING BARE MONEY – GET PRE-BEDDED PARTS!

GOOD BRAKING SECURES THE WIN

Starting with optimized brake performance - well embedded professional brake pads and discs.

Good preparation and adjustment of the car is the basic requirement for any successful race. Bedding the brake components requires good concentration, experience and a lot of training time. But time is crucial, so you want to save it for other purposes.

Incorrectly bedded brakes reduce the controllability and the lifetime of the pads and discs. The maximum braking performance can only be achieved by correctly bedded brake parts.

To save time and at the end your money, we offer you to pre-bed brake pads and, if you want it, the matching brake disc.

Via a computer controlled system in a laboratory containment with the right sensory input we can precisely bed in your parts free from environmental influences like traffic, rain or a not well-trained driver.

THE 4 STAGES OF THE COMPUTER CONTROLLED BEDDING IN PROCESS

1

In the first interval the pads will be geometrically aligned. This is needed for an optimum contact patch and is managed at constant pressure and best fitting temperatures. The brakings are defined exactly with mandatory breaks.

2

In the second block it is all about heating up. Through continuous rising of temperature cracks are avoided. The brakings and breaks inbetween are run at fixed defined temperatures.


3

In the phase of highest temperatures the conditioning of the brake pads is the focus. By gasing out the initial-fading will be minimized. This process runs at very high temperatures, and there is a significant weight-loss of the complete pad.

4

In the last phase "cleaning", pads and discs are cleaned with well defined stops from remaining dirt and not usable remains from the compound.





- + MINIMUM WEIGHT
- + OPTIMIZED WEAR CHARACTERISTICS
- + CRACK RESISTANCE
- + COOLING PERFORMANCE
- + IDEAL MOUNTING BELL
- + ADAPTED TO PURPOSE APPROPRIATE NUMBERS OF GROOVES

CREATING SYNERGY DESERVES AN OPTIMIZED PARTNERSHIP

An uncompromising and highly efficient partnership between brake pad and brake disc – this was the development criteria for our PAGID Racing brake disc. Under this aspect the full characteristics were developed and set up for the intended purpose.

Strict quality controls during a long development process result in a high performance racing brake disc, optimized for weight, cooling performance and crack resistance. In conjunction with our brake pads our products create a highly efficient “brake team”.

The modular design allows in most cases the use of either the lightweight version (for sprint races or rally), or the endurance version with the same hat (bell) for the specific vehicle applications.

DESIGN FEATURES

- + Floating connection between bobbin and disc eliminates wear on the hard anodized hat and makes it reusable multiple times.
- + Airflow onto the outside friction face is achieved through the proper sized openings in the connection flange to the disc.
- + Specially designed ventilation chamber to optimize the thermal exchange rate between disc and cooling airflow.
- + The surface finish (groove pattern) has been developed in combination with PAGID Racing brake pads for best system performance and wear characteristics.

THE PAGID RACING
BRAKE DISC CONSISTS OF
3 PERFECTLY MATCHED
PARTS ASSEMBLED
BY HAND


DISC



MOUNTING BELL



BOBBIN SET





AVAILABLE ASSEMBLED DISCS / COMPLETE PACKAGES: DISC, MOUNTING BELL, BOBBIN SET

Vehicle Manufacturer	Vehicle Type	Race Application	Axle	Side	Outside Diameter	Thick-ness	Part Number Brake Disc	Part Number Mounting Bell	Part Number Bobbin Set	Part Number Assembly
Audi	RS3 LMS TT Cup	Sprint/ Endurance	Front	Left	378	34	ED378340101	EB378120101	SA100120201	SD378340101
				Right	378	34	ED378340201			SD378340201
			Rear	Left						
				Right						
Mercedes	SLS AMG GT3	Endurance Front: D65	Front	Left	380	35	ED380350101	EB380100301	SA100100101	SD380350101
				Right	380	35	ED380350201			SD380350201
			Rear	Left	355	32	ED355320101	EB355120101	SA100120201	SD355320101
				Right	355	32	ED355320201			SD355320201
Mercedes	SLS AMG GT3	Sprint Front: D52	Front	Left	380	35	ED380350301	EB380100601	SA100100101	SD380350301
				Right	380	35	ED380350401			SD380350401
			Rear		355	32	ED355320101	EB355120101	SA100120201	SD355320101
					355	32	ED355320201			SD355320201
Opel	Astra TCR	Sprint/ Endurance	Front	Left	378	34	ED378340101	EB378120201	SA100120201	SD378340301
				Right	378	34	ED378340201			SD378340401
			Rear	Left						
				Right						
Porsche	997 GT3 Cup	Endurance	Front	Left	380	32	ED380320501	EB380100101	SA100100101	SD380320301
				Right	380	32	ED380320601			SD380320401
			Rear	Left	350	28	ED350280901	EB350120101	SA100120201	SD350281301
				Right	350	28	ED350281001			SD350281401
Porsche	997 GT3 Cup	Sprint	Front	Left	380	32	ED380320101	EB380100101	SA100100101	SD380320101
				Right	380	32	ED380320201			SD380320201
			Rear	Left	350	28	ED350280301	EB350120101	SA100120201	SD350280101
				Right	350	28	ED350280401			SD350280201
Porsche	991 Carrera 3.4 Ceramic caliper	Endurance	Front	Left	350	34	ED350340901	EB350120201	SA100120201	SD350340501
				Right	350	34	ED350341001			SD350340601
			Rear	Left	350	28	ED350280901	EB350120301	SA100120201	SD350281501
				Right	350	28	ED350281001			SD350281601
Porsche	991 Carrera 3.4 Ceramic caliper	Sprint	Front	Left	350	34	ED350340101	EB350120201	SA100120201	SD350340301
				Right	350	34	ED350340201			SD350340401
			Rear	Left	350	28	ED350280301	EB350120301	SA100120201	SD350280701
				Right	350	28	ED350280401			SD350280801
Porsche	991 Cup 991 GT America	Endurance	Front	Left	380	32	ED380321301	EB380100501	SA100100101	SD380321901
				Right	380	32	ED380321401			SD380322001
			Rear	Left	380	30	ED380300301	EB380120101	SA100120201	SD380300501
				Right	380	30	ED380300401			SD380300601
Porsche	991 Cup 991 GT America	Sprint	Front	Left	380	32	ED380320901	EB380100501	SA100100101	SD380320701
				Right	380	32	ED380321001			SD380320801
			Rear	Left	380	30	ED380300301	EB380120101	SA100120201	SD380300501
				Right	380	30	ED380300401			SD380300601
Porsche	981 Cayman Ceramic caliper	Endurance	Front	Left	350	34	ED350340901	EB350120201	SA100120201	SD350340501
				Right	350	34	ED350341001			SD350340601
			Rear	Left	350	28	ED350280901	EB350120401	SA100120201	SD350281701
				Right	350	28	ED350281001			SD350281801


AVAILABLE ASSEMBLED DISCS / COMPLETE PACKAGES: DISC, MOUNTING BELL, BOBBIN SET



Vehicle Manufacturer	Vehicle Type	Race Application	Axle	Side	Outside Diameter	Thick-ness	Part Number Brake Disc	Part Number Mounting Bell	Part Number Bobbin Set	Part Number Assembly
Porsche	981 Cayman Ceramic caliper	Sprint	Front	Left	350	34	ED350340101	EB350120201	SA100120201	SD350340301
				Right	350	34	ED350340201			SD350340401
			Rear	Left	350	28	ED350280301	EB350120401	SA100120201	SD350281101
				Right	350	28	ED350280401			SD350281201
Porsche	981 Cayman GT4 Clubsport	Endurance	Front	Left	380	32	ED380321301	EB380100701	SA100100101	SD380322101
				Right	380	32	ED380321401			SD380322201
			Rear	Left	380	30	ED380300301	EB380120201	SA100120201	SD380300501
				Right	380	30	ED380300401			SD380300601
Porsche	991 GT3 (Street)	Endurance	Front	Left	380	32	ED380320501	EB380100801	SA100100101	SD380321301
				Right	380	32	ED380320601			SD380321401
			Rear	Left						
				Right						
Seat	Leon TCR	Sprint/Endurance	Front	Left	378	34	ED378340101	EB378120101	SA100120201	SD378340101
				Right	378	34	ED378340201			SD378340201
			Rear	Left						
				Right						
Volkswagen	Golf TCR	Sprint/Endurance	Front	Left	378	34	ED378340101	EB378120101	SA100120201	SD378340101
				Right	378	34	ED378340201			SD378340201
			Rear	Left						
				Right						

Other applications on request






AVAILABLE INDIVIDUAL COMPONENTS: VENTILATED BRAKE DISCS

A: Thickness B: Inside Diameter C: Hat Interface PCD D: Max. Pad Depth E: Vent Opening

Outside Diameter	Thickness	Inside Diameter	Hat Interface PCD	Mounting Side	According Bobbin Set	Max. Pad Depth	Vent Opening	Weight Kg.	Part Number Brake Disc
350	28	226	12 x 208	Left	SA100120201	60	15	6,44	ED350280901
				Right					ED350281001
350	28	226	12 x 208	Left	SA100120201	60	17	5,76	ED350280301
				Right					ED350280401
350	32	226	12 x 208	Left	SA100120201	60	17	7,36	ED350320101
				Right					ED350320201
350	34	226	12 x 208	Left	SA100120201	60	15	8,83	ED350340901
				Right					ED350341001
350	34	226	12 x 208	Left	SA100120201	60	17	8,15	ED350340101
				Right					ED350340201
355	32	250	12 x 226	Left	SA100120201	52	17	6,86	ED355320101
				Right					ED355320201
378	34	268	12 x 247,65	Left	SA100120201	54	19	7,44	ED378340101
				Right					ED378340201
380	30	280	12 x 260	Left	SA100120201	50	17	6,25	ED380300301
				Right					ED380300401
380	32	250	10 x 228,6	Left	SA100100101	65	15	9,36	ED380320501
				Right					ED380320601
380	32	250	10 x 228,6	Left	SA100100101	65	17	8,63	ED380320101
				Right					ED380320201
380	32	268	10 x 246,6	Left	SA100100101	56	15	8,35	ED380321301
				Right					ED380321401
380	32	268	10 x 246,6	Left	SA100100101	56	17	7,68	ED380320901
				Right					ED380321001
380	35	250	10 x 228,6	Left	SA100100101	65	17	9,99	ED380350101
				Right					ED380350201
380	35	275	10 x 253	Left	SA100100101	52	17	8,44	ED380350301
				Right					ED380350401


Other applications on request

AVAILABLE INDIVIDUAL COMPONENTS: BOBBIN SET



Quantity	A	B	C	D	Brake Disc Flange Thickness	Part Number Bobbin Set
10	11	6.4	9.45	6.55	6.25	SA100100101
12	10	6.4	9.45	6.55	6.25	SA100120101
12	11	6.4	9.45	6.55	6.25	SA100120201

AVAILABLE INDIVIDUAL COMPONENTS: MOUNTING BELL



A: Disc Interface PCD B: Stud Bolt Circle C: Center Hole Diameter D: Offset E: Face Thickness

Vehicle Manufacturer	Vehicle Type	Axle	Disc Interface PCD	Stud Bolt Circle	Center Hole Diameter	Offset	Face Thickness	Part Number Mounting Bell
Aston Martin	Vantage V8 GTE	Front	10 x 228,6	18 x 108	81,05	10,3	8	EB380100401
		Rear						
Audi	RS3 LMS TT Cup	Front	12 x 247,65	5 x 112	65	8,1	6	EB378120101
		Rear						
Mercedes	SLS AMG GT3 Endurance	Front	10 x 228,6	10 x 112	63,8	14,6	8	EB380100301
		Rear	12 x 226	10 x 112	63,8	19,8	8	EB355120101
Mercedes	SLS AMG GT3 Sprint	Front	10 x 253	10 x 112	63,8	14,6	8	EB380100601
		Rear						
Opel	Astra TCR	Front	12 x 247,65	5 x 115	71	10,9	8	EB378120201
		Rear						
Porsche	997 GT3 Cup	Front	10 x 228,6	5 x 130	103	28	6,5	EB380100101
		Rear	12 x 208	5 x 130	103	38,8	6,5	EB350120101
Porsche	991 Carrera 3.4 Ceramic caliper	Front	12 x 208	5 x 130	98	30,8	6,5	EB350120201
		Rear	12 x 208	5 x 130	98	38,9	6,5	EB350120301
Porsche	991 Cup 991 GT America	Front	10 x 246,6	5 x 130	93	30	6,5	EB380100501
		Rear	12 x 256	5 x 130	93	30	6,5	EB380120101
Porsche	981 Cayman Ceramic caliper	Front	12 x 208	5 x 130	98	30,8	6,5	EB350120201
		Rear	12 x 208	5 x 130	98	30,9	6,5	EB350120401
Porsche	981 Cayman GT4 Clubsport	Front	12 x 246,6	5 x 130	93	30	6	EB380100701
		Rear	12 x 256	5 x 130	93	29,8	6	EB380120201
Porsche	991 GT3 street	Front	10 x 228,6	5 x 130	98	31,5	6,3	EB380100801
		Rear						
Seat	Leon TCR	Front	12 x 247,65	5 x 112	65	8,1	6	EB378120101
		Rear						
Volkswagen	Golf TCR	Front	12 x 247,65	5 x 112	65	8,1	6	EB378120101
		Rear						

Other applications on request





+ APPROVED IN A WIDE VEHICLE RANGE

+ LOW HYGROSCOPIC CHARACTERISTICS

+ EXTREME HIGH DRY BOILING POINT

+ HEAT STABILITY

+ EXCELLENT VISCOSITY

+ PERFECTLY USABLE FOR ABS

DESCRIPTION

One of the biggest challenges developing a brake fluid is to reach a boiling point as high as possible. PAGID Racing Brake Fluid has been specially formulated for racing applications, where brake systems consistently operate at very high temperatures.

The typical dry boiling point of 330°C (626°F) is extremely high and guarantees maximum safety against vapor lock.

PAGID Racing Brake Fluid also maintains its excellent viscosity, lubricity and compressibility performance at extreme temperatures, maintaining the brake system reliability and performance.

USAGE

- Follow vehicle manufacturers' recommendations when adding brake fluid
- Keep brake fluid clean and dry
- Store brake fluid only in its original container
- Dispose of used brake fluid responsibly

ATTENTION!

For best results bleed the system with fresh PAGID Racing brake fluid before each race, especially if the brakes are excessively hot and/or the conditions are humid.

Overview Boiling Point	Category	Information
<p>Typical Dry Boiling Point: 626 °F / 330 °C</p> <p>Typical Wet Boiling Point: 392 °F / 200 °C</p>	Size	0,5L / 16.9 fl. oz.
	ERBP Dry [°C] / [°F]	330 / 626
	ERBP Wet [°C] / [°F]	200 / 392
	Viscosity at -40 °C [cSt]	2200
	Viscosity at -100 °C [cSt]	2.31
	pH	6.90
	Fluidity [°C]	-50
	Compatibility [°C]	-40 to +60
	Colour	Straw yellow
	Water content [%]	< 0.20
	Density at 20 °C [g/ml]	1.080
	Vapour density	N.E.
	Vapour pressure at 20 °C [mBar] °C [mBar]	< 2





RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear

AC

Cobra 7.0	64 - 66	8042	8041
Cobra 428 7.0	67 - 74	8042	8041
Greyhound	64 - 68	1195	4508

Alfa Romeo

156 2.0 16V	95 - 98	1295	
4C	13 -	8023	
Berlina 1.75 2.0	68 - 77	4501	4304
Giulia 1.3/1.6	64 - 66	8056	
Giulia 1.3/1.6	66 - 76	4304	4122
Giulia 2.9 [952]	15 -	8005	2487
Giulietta TCR	15 -	1904	1363
GTA 1600	65 - 75	8056	
Sprint GT 1600	63 - 66	4501	4122

Alpina

B3 [E90 / E92]	07 - 10	4931	4933
B5 F1 X	15 -	8200	4932
B6 Biturbo [F12 / F13]	12 -	4930	4932
B6 GT3 [race car]	13 -	8092	8093

Aston Martin

DB9	04 -	2487	1408
DB5 / DB6 / DBS	63 - 70	8042	8041
DB9 [ceramic brakes]	04 -	4941	4943
DB4	59 - 65	8070	8070
DB4GT	60 - 63	8071	
DBS V8	69 - 74	1191	8041
Vanquish	03 - 08	1287	1408
Vanquish [ceramic brakes]	12 -	4941	4943
Vantage V12 GT3 [race car]	13 -	8087	1674
Vantage V12S [ceramic brake]	13 -	4941	4943
Vantage V8 GT4 ProDrive [race car]	12 -	2487	1408

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Audi			
50	74 - 79	4304	
60 / 75	66 - 72	4304	
80 2.2 Quattro S2	90 - 96	1276	
100	68 - 74	4304	4304
A1 2.0 TFSI Quattro	12 -	8001	4936
A3 1.8 20V	96 - 03		1158
A3 1.8 20V Turbo	96 - 99	1678	1158
A3 2.0 Quattro [8PA]	04 -	2130	8046
A3 3.2 Quattro	06 -	8001	8046
A3 RS3 Quattro	11-	2487	8046
A4 & A5 & A6 & A7 [several]	08 -	8096	8039
A4 & A6 [several]		8064	1158
A4 1.8 20V	95 - 00	1678	1158
A8 D3 [ceramic brakes]	02 - 09	4907	8039
Q5 [8R]	08 -	8096	8039
R8	07 - 15	2931	1287
R8 [ceramic brakes]	09 - 15	4907	1287
R8 (2nd generation)	15 -	2931	1287
R8 (2nd generation) [ceramic brakes]	15 -	4907	1287
R8 LMS GT3 [race car]	13 - 15	8087	1674
R8 LMS GT3 [race car]	16 -	8100	2704
RS3 LMS TCR [race car]	16 -	1539	1363
RS3 [disc Ø 340 mm] performance brake	15 -	8201	
RS4	00 - 02	2830	1158
RS4	05 -	2931	8039
RS5	10 -	2931	8039
RS6 (C5)	02 - 04	2931	8039
RS6 (C6)	08 - 10	8081	8039
RS6 (C7)	13 -	8238	8039
RS6 (C7) [ceramic brakes]	13 -	8088	4938
S3	99 - 01	1678	1158
S3 Quattro (disc Ø 340 mm) performance brake	14 -	8201	
S3 Quattro (disc Ø 345 mm)	06 - 12	8064	8046
S4 [B6 + B7]	04 - 08	8064	8039
S4 [B8] (disc Ø 345 mm)	08 -	8096	8039

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear

Audi

S5 (disc Ø 345 mm)	07 -	8096	8039
S6 [ceramic brakes]	12 -	4937	4938
S7 [ceramic brakes]	12 -	4937	4938
S8	99 - 02	1842	1158
S8 [ceramic brakes]	02 - 10	4907	
S8 [ceramic brakes]	12 -	4937	4938
TT	98 - 06	1678	1158
TT 3.2 V6 Quattro (disc Ø 288 mm)	06 -	8001	8046
TT 3.2 V6 Quattro (disc Ø 345 mm)	06 -	8064	8046
TT Cup [race car]	15 -	1539	1363
TT R32	04 - 06	2830	1158
TT RS 2.5 Quattro	09 -	2487	8046
TTS 2.0 Quattro	09 -	8064	8046

Bentley

Continental GT [ceramic brakes]	03 - 11	4910	8039
Continental GT [ceramic brakes]	11 -	4937	4938
Continental GT3 [race car]	14 -	2017	1674
Mulsanne [ceramic brakes]	10 -	4937	4938

Bizzarini

5300 GT	66 - 68	1191	1192
---------	---------	------	------

BMW

1 Series M Coupe [E82]	11 - 13	8053	8021
120d & 130i [E81 & E87]	03 - 12	1295	8035
135i [E82 & E88]	07 - 13	8084	8085
1600 Ti / 1800 Ti / TiSA	63 - 71	4304	
2002 Ti / Tii	69 - 75	4702	
3 Series M-Technic / Brembo	09 -	8084	8085
3.0 CSL [E9]	71 - 75	4703	4122
318is - 325i [E30]	82 - 93	1544	1141
318is - 325i [E36]	90 - 98	2180	1285
320i - 325i [E46]	98 - 05	2180	1285
320i - 330i [E90]	05 -	8053	8035
330i [E46]	00 - 05	1295	2685

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
BMW			
335i, 335d [E90 / E91 / E92]	06 -	8053	8051
507 / 700	56 - 65	8070	
850 [E31]	90 - 99	1427	2685
M1 [non Procar]	78 - 82	4703	4304
M135i [F20 & F21]	11 -	4931	4933
M2 [F87]	15 -	4931	4933
M235i [F22]	13 -	4931	4933
M235i Racing [PFC front caliper]	14 - 15	8197	4933
M235i Racing [AP front caliper]	16 -	2688	4933
M240i [F22]	15 -	4931	4933
M3 [E30] EVO I & II	86 - 92	1144	1285
M3 [E36] 3.0 & 3.2	92 - 99	1295	1285
M3 [E46] & M3 CSL	00 - 07	1295	2685
M3 [E90 / E92]	07 - 13	8053	8021
M3 [E92] GT4 race version	09 -	1538	1270
M3 [F80]	14 -	4931	4933
M4 [F82]	14 -	4931	4933
M4 [F82] [ceramic brakes]	14 -	4934	1287
M5 [E34]	88 - 97	1295	1285
M5 [E39]	98 - 03	2683	2685
M5 [E60]	04 - 11	8019	8021
M5 [F10]	11 -	4934	4932
M5 [F10] [ceramic brakes]	11 -	4935	4932
M6 [E63 / E64]	06 - 12	8019	8021
M6 [F13]	12 -	4934	4932
M6 [F13] [ceramic brakes]	12 -	4935	4932
M6 GT3 [race car]	16 -	2019	1674
Mini Cooper	02 - 06	2959	
Mini John Cooper Works [Brembo brakes] on request	15 -	4931	
X5 4.4	00 -	2683	2685
Z1	88 - 91	1544	1285
Z3 (not Roadster)	95 - 03	2180	1285
Z3 M Roadster 3.2i	97 - 03	1295	1285
Z4	03 -	2180	1285
Z4 GT3 [race car]	13 -	2558	1270

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear

BMW

Z4 M Coupe	06 -	1295	2685
Z8 4.9	00 - 03	2683	2685

Cadillac

CTS-V (4 piston front caliper)	03 - 09	2487	1408
CTS-V (6 piston front caliper)	10 -	8081	1408

Caterham

Seven Range	97 -	3102	1163
SP / 300.R	12 -	4349	4349
Stock AP up-grade	97 -	1265	1363

Chevrolet

Callaway Z06.R GT3 [race car]	13 - 16	8087	1270
Callaway Z06.R GT3 [race car]	16 -	2017	2704
Camaro SS	09 - 15	2487	1408
Camaro SS - 4 Piston Brembo caliper	16 -	2487	8208
Camaro SS - 6 Piston Brembo caliper - upgrade kit	16 -	8081	8208
Camaro Z / 28w / 4 wheel disc	67 - 68	8057	8057
Camaro Z28 [ceramic brakes]	15 -	8091	4906
Camaro ZL1	12 - 15	8081	1408
Camaro ZL1	16 -	8253	8208
Cobalt SS Turbocharged	08 -	8023	
Corvette Brembo [ceramic brakes]	09 -	8091	4906
Corvette Brembo 6 piston non ceramic	09 -	8091	2487
Corvette C32 Stingray	63 - 82	8057	8057
Corvette C5 & C6 base	05 - 13	2213	
Corvette C5 base, Z06	97 - 04	2213	
Corvette C6 Grand Sport [multi pad system]	10 - 13	8240 front	8240 rear
Corvette C6 Z06 [multi pad system]	06 - 13	8240 front	8240 rear
Corvette C7 base	14 -	2487	8208
Corvette C7 GT3 [Callaway Race Car]	15 -	2017	1674
Corvette C7 Z06 [iron brakes]	15 -	8081	8208
Corvette C7 Z06 [ceramic brakes]	15 -	8091	4906
Corvette C7 Z51	14 -	2487	8208

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear

Chevrolet

GM Intermediate D52, several models		1594USA	
GM Metric D154, several models		1595USA	

Citroën

ZX 2.0 16V	96 -	1544	1610
DS 3 R1	15 -	8212	
DS 3 R3 Tarmac Rally	15 -	1595	3102
DS 3 R5 Tarmac Rally	15 -	1595	1595
Saxo 1.6 VTS (Cup)	96 -	2388	1610

De Tomaso

Pantera	73 - 90	1191	8041
---------	---------	------	------

DKW

F12	63 - 65	4122	
-----	---------	------	--

Dodge

Dart	65 - 72	8086	
Viper	92 - 00	1408	1682
Viper	01 - 02	1408	
Viper ACR [ceramic brakes]	16 -	8253	4906
Viper Competition Coupe	03 -	1287	1287
Viper SRT TA (time attack)	14 -	2487	2487
Viper SRT-10	04 -	1287	1287

Ferrari

206	67 - 68	8042	8041
250 GT / 275 GT	60 - 66	8071	8070
308 GT4 / GTB / GTS 2 valve	73 - 85	4501	4304
330 GTC / GTS	66 - 68	1191	8041
348 GTB, GTS, Spider	89 - 94	1203	1203
355 Berlinetta, GTS	94 - 99	1203	1203
355 Challenge	95 - 00	1674	1674

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear

Ferrari

360 all models	99 - 05	1408	1408
360 Challenge	99 - 05	1896	1595
360 Challenge Stradale [ceramic brakes]	03 - 05	8083	4906
365 GTB / GTC	67 - 76	1191	8041
365 GTB4 / Daytona	67 - 76	4703	4634
430 Challenge [ceramic brakes]		8091	4906
430 Scuderia [ceramic brakes]	07 - 10	8091	4906
456 GT	94 - 96	1427	1203
458 Italia [ceramic brakes]	10 - 15	8091	4906
458 Italia GT3 [race car]	13 -	8100	1674
458 Speciale [ceramic brakes]	13 -	4580	4581
488 [ceramic brakes]	15 -	4580	4581
488 GT3 [race car]	16 -	8101	1674
500 Super	64 - 66	8071	8070
512 BB	76 - 85	4703	4634
512 Testarossa	92 - 96	1287	1203
575M Maranello	02 - 06	1427	1203
599 GTB Fiorano	06 - 12	8091	4906
Dino 246 GTB / GTS	68 - 75	4501	4304
Enzo [ceramic brakes]	02 - 04	8083	4906
F40 Street and race	87 - 92	1287	1287
F430 [cast iron brakes]	05 - 10	1408	1408
F430 [ceramic brakes]	05 - 10	8083	4906
F50	95 - 97	1287	1287
F512 M & 550		1427	1203
Several ceramic brakes CCM		8091	4906

Fiat

Punto Abarth 1.4	07 -		4940
500 1.4 Abarth [Brembo brakes]	09 -	8023	
Abarth 124 Spider	16 -	3830	8077
Abarth 124 Spider [Brembo brakes]	16 -	8023	8077
Abarth 124 Spider [rally car]	17 -	1616	1616

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear

Ford

Capri Mk1 / Mk2 / Mk3	72 - 87	4905	
Cortina Mk1	64 - 66	3102	
Cortina Mk2 1.6 GT / Lotus	66 - 70	8041	
Cortina Mk3 / Mk4 / Mk5	70 - 82	4905	
Escort Mk1 1.3	69 - 74	3102	
Escort Mk1 / Mk2 2.0 RS	73 - 80	4905	
Fiesta & Puma 16V	96 - 02	4823	
Fiesta R2 Tarmac Rally Spec 2016	15 -	1595	3102
Fiesta R5 Gravel Rally	15 -	1617	1617
Fiesta R5 Tarmac Rally	15 -	1616	1616
Focus II 2.5 RS	09 -	8096	
GT	04 - 06	2487	2487
GT 40	64 - 68	1195	4508
Mustang	68 - 73	8086	
Mustang (Saleen S281 Extreme)	07 - 07	1903	8113
Mustang Boss 302	12 - 13	2487	8113
Mustang Boss 302S	13 -	1674	8113
Mustang GT [4 piston Brembo]	15 -	2487	8204
Mustang GT [with performance package - 6 piston Brembo]	15 -	8203	8204
Mustang Mk1 / T5 / 289 GT	65 - 67	8086	
Mustang Shelby GT350 [6 piston Brembo caliper / 15.5" disc]	15 -	8239	8208
Mustang Shelby GT500 [4 piston Brembo caliper / 15" disc]	07 - 14	2487	8113

Ginetta

G4	61 - 69	3102	
G15	67 - 73	1151	
G55 GT3 [race car] with PFC brakes		4923	8093
G55 GT4 [race car]		1539	1595
LMP3 [race car]	15 -	2488	2488

Glas

G / 04 Type	63 - 69	4122	4122
2600 GT / 3000 GT	65 - 69	4501	4122

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear

Honda (Acura)

Accord Type R	97 - 03	2623	1158
Acura TL	04 -	2487	
Civic IX Type R [Brembo brakes]	15 -	2487	
Civic TCR [race car]	15 -	1904	1363
Civic Type R / S2000 / RSX	99 - 05	8010	
Integra Type R DC2	96 - 01	2623	
NSX	90 - 05	2623	
NSX	17 -	2017 / 2019	

Huffaker

Genie MK VIII	63	1192	1192
---------------	----	------	------

Hyundai

i20 R5 Tarmac Rally	16 -	1616	1616
i30 TCR race car [Brembo caliper]	17 -	8087	4304
Genesis Coupe 3.8 track	10 -	2487	1587

Iso

Grifo / Fidia / Rivolta	63 - 68	8071	8070
Grifo / Fidia / Rivolta	68 - 74	1191	8041

Jaguar

Daimler XK 150	58 - 61	8070	8070
E-Type 3.8 / 4.2	62 - 68	8070	8070
E-Type 4.2 / 5.3	69 - 75	8042	8041
F Type	14 -	8019	
Mk1 / Mk2	55 - 67	8070	8070
Mk9 / Mk10 3.8 / 4.2	58 - 66	8071	8070

Jensen

CV8 / 541R / 541S / Interceptor	59 - 66	8070	8070
FF / Interceptor / SP V8	66 - 76	8042	8041
Healey / Healey GT	72 - 76	3190	

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear

KTM

X-Bow	08 -	1408	1587
X-Bow GT4	15 -	8222	1674

Lamborghini

350 GT / 400 GT / Muira	64 - 71	1191	8041
Aventador LP700-4 [ceramic brakes]	11 -	4937	4906
Countach	74 - 91	4703	
Diablo [Brembo brakes]	92 - 99	1287	1287
Gallardo	04 - 13	2931	1287
Gallardo [ceramic brakes]	04 - 13	4907	1287
Gallardo GT3 [race car]	14 -	2488	1674
Gallardo LP 600 GT3 [race car]	13 -	8087	1674
Huracán [iron brakes]	14 -	2931	1287
Huracán [ceramic brakes]	14 -	4907	1287
Huracán GT3 [race car]	15 -	8101	1674
Huracán Trofeo [race car]	15 -	8101	1674
Murciélago [non ceramic]	01 - 10	1287	1287
Several ceramic brakes		4907	4906
Urraco	74 - 81	4703	3102

Lancia

Delta 2.0 HF Int.16V Evo	91 - 94	1408	1158
Fulvia	63 - 69	8070	8070
Stratos	74 - 75	4501	4304

Lexus

IS-F	08 - 11	8005	
------	---------	------	--

Lotus

23	62 - 66	8032	8032
Elan	66 - 74	3102	
Elise	96 -	2593	1682
Esprit	75 - 86	4507	
Esprit Turbo	94 - 96	1408	1408
Evora	09 -	4345	8214

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear

Lotus

Exige	03 -	2593	1682
Exige Sport Cup	06 -	4349	1682
Seven / Super 7	68 - 74	3102	

Maserati

3500 GT	61 - 64	1191	8041
BiTurbo 2.5 & 2.8	94 - 99	2683	2685
Ghibli / Indy	68 - 75	1191	8041
Ghibli (M157) [4 piston Brembo caliper / disc ø 345mm]	13 -	2487	
Ghibli (M157) [6 piston Brembo caliper / disc ø 360mm]	13 -	8005	1408
Grand Turismo	07 -	8005	1408
Mistral	64 - 69	1191	8041
Sebring	63 - 69	1191	8041
Spyder 4.2 & Coupe 3.2	02 - 07	1427	1203
Trofeo MC	13 -	8087	1283
Trofeo GT4	16 -	8087	1283

Mazda

Miata 1.8 NB (spec Miata)	94 - 00	8127	8129
MX-5 Miata	06 - 15	8082	8077
MX-5 Miata ND	16 -	3830	8077
MX-5 Miata ND [Brembo brakes]	16 -	8023	8077
MX-5 Miata Global Cup Car	16 -	8023	8077
Speed 3 & 6	07 -	8064	

McLaren

570 S	15 -	4346	4345
570 S GT4 race car	16 -	4346	4345
570 S [ceramic brakes]	15 -	8091	8187
650 S	14 -	4346	4345
650 S [ceramic brakes]	14 -	8091	8187
650 S GT3 [race car] AP caliper	15 -	2557	1674
650 S GT3 [race car] AP caliper	17 -	2560 / 2564	
675 LT	15 -	4346	4345
675 LT [ceramic brakes]	15 -	8091	8187

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear

McLaren

F1 / shape rear on inquiry	92 - 98	1287	
MP4-12C	11 - 14	4346	4345
MP4-12C [ceramic brakes]	11 - 14	8091	8187
MP4-12C GT3 [race car] Akebono caliper	13 -	2557	1674

Mercedes

190 2.3 / 2.5 16V (W201)	82 - 93	1190	1151
190 - 300 (W108 - W115)	59 - 71	4501	4304
200 - 300 (W123)	76 - 85	1291	4304
250 - 280 (W114)	71 - 76	1291	4304
280 - 450 (W116)	72 - 80	1291	4304
A 45 AMG (W176)	13 -	8188	8189
AMG GT3 [race car]	16 -	2564	1674
AMG GTR [ceramic]	17 -	8088	8246
AMG GTS (disc Ø 360 mm) Akebono caliper	15 -	8257	8246
AMG GTS (disc Ø 390 mm) Brembo caliper	15 -	8238	8246
C 63 AMG [W204]	08 - 14	8081	8031
C 63 AMG [W204] (disc Ø 360 mm) Akebono caliper	15 -	8257	8246
C 63 AMG [W204] (disc Ø 390 mm) Brembo caliper	15 -	8238	8246
C class w. AMG sport pack	07 -	8094	
CLA 45 AMG	13 -	8188	8189
CLA Cup [race car]	12 -	1539	8189
CLK 63 AMG Black Series	08 -	8081	8031
CLS 63 AMG [ceramic brakes]	11 -	8088	8089
E [AMG sport pack]	09 -	8094	
E55 AMG [W211]	02 -	8027	8031
GL 63 AMG 4-matic	11 -	8238	
ML 63 AMG 4-matic	11 -	8238	
SLK 55 AMG [R171]	04 - 11	8005	8031
SLK 55 AMG [R172]	12 -	8188	8189
SLK Roadster 32 AMG [R170]	01 - 04	2830	
SLR	04 -	8027	8031
SLS AMG [ceramic brakes]	09	8088	8089
SLS AMG GT3 [race car]	13 - 15	8101	1674

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear

Mercury

Cougar	67 -	8086	
--------	------	------	--

Mitsubishi

3000 GT	92 - 96	1591	
3000 GT VR4	92 - 99	1406	
EVO X R4 / Super Gr. N Tarmac Spec.	15 -	2931	8234
Lancer Evo III	92 - 94	1591	1897
Lancer Evo IV	95 - 97	1591	2445
Lancer Evo V - Evo IX	98 - 06	2487	1587
Lancer Evo IX Gravel Rally	05 - 07	8030	1283
Lancer Evo X	07 - 16	2487	
Lancer Evo X Gravel Rally	07 - 16	8033	
Lancer Evo X Gravel Rally [AP Caliper]	07 - 16	1361	1749
Lancer Evo X Tarmac Rally	07 - 16	1904	1903
Lancer Evo X Tarmac Rally [Brembo Caliper]	07 - 16	8030	1283
Lancer Evo X	07 -	2487	8069

Morgan

4 / 4 1.6 / 2.0	66 - 86	3190	
Plus 8 3.5	66 - 73	8041	

Nissan

240Z	70 - 73	4905	
260Z	74 - 75	4905	
280Z	75 - 78	4905	
300ZX	89 - 97	1406	
350Z Coupe Track	02 -	1427	1587
GT-R NISMO GT3 [race car]	15 -	2560	1270
R35 GTR	08 -	8081	1287
R35 GTR [ceramic brakes]	08 -	4945	4946
Skyline GTR	89 - 95	1427	1587

NSU

Prinz 1000 TT / TTS	65 - 72	4122	
---------------------	---------	------	--

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear

Opel

Adam Rallye Cup	12 -	8023	4940
Adam Rallye R2	14 -	2555	4940
Ascona A	70 - 75	4304	
Ascona B	75 - 78	4507	
Astra F 2.0 GSI 16V	91 - 98	1288	1177
Astra G OPC	99 - 03	2275	8185
Astra H OPC	05 - 09		8185
Astra J OPC	09 -		4939
Astra OPC [race car]	15 -	1539	1363
Astra TCR [race car]	16 -	1539	1363
Calibra 2.0i 16V	90 - 94	1288	1177
Commodore B	72 - 77	4501	4304
Corsa B 1.6 GSI 16V	93 - 00	1620	
Corsa D 1.6 Turbo	07 -		4940
GT	69 - 73	4304	
Kadett B 1.5 / 1.9 / Kadett C	67 - 79	4304	
Kadett C 1.9i / 2.0i Rallye / GTE	73 - 79	4507	
Kadett E 2.0 GSI 16V	88 - 91	1288	1177
Speedster 2.2i 16V	00 - 05	2593	1682

Peerless

2.0	58 - 60	1192	
-----	---------	------	--

Peugeot

205 1.9 GTI	87 - 98	3276	1610
207 Asphalt Rally	06 - 15	8033	
208 R2	12 -	1595	3102
208 R5	12 -	1595	1595
306 2.0 S16	93 - 98	2388	1610
309 1.9 GTI 16V	90 - 93	3276	1610
405 2.0 MI 16	92 - 95	2388	1158
406 Coupe Brembo brake	97 - 04	1408	

Piper

GTT	68 - 74	3102	3102
-----	---------	------	------

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear

Plymouth

Duster	70 - 72	8086	
--------	---------	------	--

Pontiac

GM Intermediate D52, several models		1594USA	
GM Metric D154, several models		1595USA	
GTO	05 - 06	2213	

Porsche

356 1.6 C / SC	63 - 66	4304	4122
904 Carrera GTS + 904 / 6	63 - 65	4304	4122
908 / 01	68 - 71	4503	4503
911 2.0 - 2.8 S-Calipers	64 - 73	4501	4304
911 2.0 M-Calipers	65 - 69	4304	4122
911 2.7 / 3.0 / 3.2 Carrera	72 - 89	4501	4304
911 3.3 SC Turbo / Turbo S	77 - 90	1203	1203
911 S	72 - 83	4503	4304
912	65 - 70	4304	4122
914 / 4	70 - 72	4304	4122
914 / 6	70 - 72	4304	4304
918 Spyder	13 -	4927	4925
924 2.0	76 - 83	4623	
924 2.0 Turbo / 2.5 S	79 - 88	4702	4623
928 4.5	77 - 79	4702	4623
928 5.4 GTS 32V	91 - 95	1842	1203
928 S & S4 & GT	85 - 95	1204	1203
935 Moby Dick	76 - 81	8059	8059
944 2.5 Turbo	85 - 87	1203	1203
944 2.5 Turbo	87 - 91	1204	1203
944 2.5 / 2.5 S / 2.7	81 - 91	4702	4623
944 2.7 & 3.0 S2	88 - 91	1203	1203
959 2.8	87 - 91	1842	1842
962 / 956	82 - 84	8058	8058
964 3.3 Turbo & Turbo S	88 - 91	1204	1203
964 3.3 / 3.6 Turbo & Turbo S	91 - 93	1842	1203
964 3.6 C4	88 - 94	1203	1203

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Porsche			
964 3.6 Carrera RS	91 - 93	1204	1203
964 C2 3.6	88 - 91	1203	1580
964 C2 3.6	91 - 94	1203	1203
968 3.0 Coupe	91 - 95	1203	1203
968 3.0 Coupe Sport	91 - 95	1204	1203
968 3.0 Coupe Turbo S	93 - 95	1842	1203
991 3.4 Carrera [ceramic brake caliper with RBD cast iron disk]	11 -	8235	4909
991 3.4 Carrera [ceramic brakes]	11 - 15	4908	4909
991 3.4 Carrera [iron brakes]	11 - 15	8074	4918
991 3.8 Carrera S [ceramic brake caliper with RBD cast iron disk]	11 -	8235	4909
991 3.8 Carrera S [ceramic brakes]	11 - 15	4908	4909
991 3.8 Carrera S / GTS [iron brakes]	11 - 15	4922	4909
991 GT3 [ceramic brakes]	13 -	4927	4925
991 GT3 [iron brakes]	13 -	4924	4925
991 GT3 Cup [PFC brakes 22 / 20 mm]	13 -	4920	4921
991 GT3 Cup [PFC brakes 28 / 26 mm]	13 -	4928	4929
991 GT3 R [race car]	16 -	8241	8242
991 GT3 RS [ceramic brakes]	15 -	4927	4925
991 GT3 RS [iron brakes]	15 -	4924	4925
991 Turbo [ceramic brakes]	13 -	4927	4925
991 Turbo [iron brakes]	13 -	4924	4925
991.2 3.0 Carrera [ceramic brakes]	15 -	4908	4909
991.2 3.0 Carrera [iron brakes]	15 -	8074	4918
991.2 3.0 Carrera S [ceramic brakes]	15 -	4908	4909
991.2 3.0 Carrera S [iron brakes]	15 -	4908	4909
991.2 3.0 Carrera GTS [iron brakes]	17 -	8074	4909
993 3.6 Carrera & C4	93 - 97	1204	1203
993 3.6 Turbo & Turbo GT2	95 - 97	1842	1204
993 3.8 Carrera RS & RSR	95 - 97	1842	1204
993 4S [turbo look]	96 - 97	1842	1204
993 GT2 & RSR [disc ø 380 mm]	95 - 97	1908	1204
996 3.4 C & 3.6	97 - 05	2405	2406
996 3.4 C Cup	97 - 98	1842	2405

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Porsche			
996 3.4 C Cup	99 - 01	2474	2405
996 3.6 C 4S	03 - 05	2474	2405
996 GT2	02 - 05	2707	2405
996 GT3	99 - 01	2474	2405
996 GT3	02 - 05	2707	2405
996 GT3 Cup	02 - 05	2707	2405
996 GT3 R & GT3 RS [race car]	00 - 05	1908	1674
996 GT3 RS [street car]	03 - 05	2707	2405
996 Turbo	99 - 05	2474	2405
997 3.6 C & 3.6 C4	05 - 09	2405	2406
997 3.6 C & 3.6 C4	08 - 11	8074	8006
997 3.8 C S & 3.8 C 4S	05 - 12	2474	2405
997 3.8 Carrera GTS	09 - 11	2474	2405
997 all models ceramic brakes	05 - 12	2707	8006
997 GT3	07 - 11	2707	8006
997 GT3 Cup [17 mm thick pads]	05 - 12	8003	8008
997 GT3 Cup [19 mm thick pads]	05 - 12	8004	8006
997 GT3 Cup Grand Am spec.	07 - 12	8038	8037
997 GT3 Cup S	08 - 12	8038	8037
997 GT3 RS	07 - 12	2707	8006
997 GT3 RSR	07 - 12	2488	1674
997 GT3 Rally	05 - 12	8003	8006
997 Turbo	06 - 12	2707	8006
718 Boxster 2.0 [1982]	16 -	8074	2406
718 Boxster S 2.5 [1982]	16 -	8074	2406
Boxster [1986]	96 - 05	2407	2406
Boxster [1987]	05 -	2407	2406
Boxster [1987] [ceramic brakes]	05 - 12	2707	2405
Boxster 2.7 [1981]	12 -	8074	2406
Boxster GTS 3.4 [1981]	14 -	8074	2406
Boxster S [1986]	99 - 05	2405	2406
Boxster S [1987]	05 - 12	2405	2406
Boxster S 3.4 [1981]	12 -	8074	2406
Boxster Spyder [1981]	15 -	4922	4918
Carrera GT	04 - 06	2707	2707

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear

Porsche

Cayenne [cast iron & ceramic brakes]	06 -	4917	4918
Cayenne Turbo [18" wheels]	02 - 10	2845	2406
718 Cayman 2.0 [982]	16 -	8074	2406
718 Cayman S 2.5 [982]	16 -	8074	2406
Cayman [987]	06 - 09	2407	2406
Cayman [987]	09 - 12	2405	2406
Cayman [987] [ceramic brakes]	06 - 12	2707	2405
Cayman 2.7 [981]	13 -	8074	2406
Cayman GT4	16 -	4924	4925
Cayman GT4 [ceramic brakes]	16 -	4927	4925
Cayman GT4 Clubsport [PFC brakes 22 / 20 mm]	16 -	4920	4921
Cayman GT4 Clubsport [PFC brakes 28 / 26 mm]	16 -	4928	4929
Cayman GTS 3.4 [981]	14 -	8074	2406
Cayman R [987] (none ceramic)	10 -	2405	2406
Cayman S [981] [ceramic brakes]	13 -	4908	2405
Cayman S [987]	06 - 12	2405	2406
Cayman S [ceramic brake caliper with RBD cast iron disc]	13 -	8235	8236
Cayman S 3.4 [981]	13 -	8074	2406
Panamera [cast iron & ceramic brakes]	09 -	4917	4909

Renault

A310	71 - 83	1703	
Alpine A110 / 1300 / 1600 / R16	73 - 76	1703	
Clio 1.8 16V & 2.0 16V	91 - 98	3276	1610
Clio 3.0 V6 Turbo Sport	98 -	4345	
Clio II 3.0 V6 mid engine	00 - 05	1408	1408
Clio II V6	01 - 05	1361	1270
Clio III 2.0 16V Sport	05 -	8023	1158
Clio III Cup	16 -	8251	1158
Clio IV R3 Rally	12 -	8251	
Mégane Coach 2.0 16V	96 -	1702	1610
Mégane II Renault Sport & Clio Cup	05 -	8023	1158
Mégane III 2.0 RS [Brembo brakes] without electronic hand brake	08 -	2487	1158
R5 Alpine / Alpine Turbo	76 - 84	1703	
RS01 [cast iron brakes]	15 -	8092	4923

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear

Rover

Healey 3000	61 - 64	8042	
Healey 3000	64 - 67	4905	8041
MG A 1.6 TC	58 - 60	8070	8070
Mini Cooper 10" wheel	63 - 69	1362	
Mini Cooper S 12" wheel	63 - 71	1363	
Spitfire / 1300 TC	67 - 80	3102	
Triumph Spitfire	67 - 80	3102	
Triumph TR4 / TR5	62 - 69	8041	
Triumph TR6	69 - 72	8041	

Saab

99	67 - 74	4304	4122
----	---------	------	------

Seat

Ibiza & Toledo 16V	91 - 99	1743	1158
Leon 1.8T Cupra R (Brembo)	03 - 06	1408	1158
Leon 2.8 Cupra 4 (Brembo)	01 - 06	1408	1158
Leon Cup Racer MK3 [race car]	14 -	1539	1363
Leon Cupra Cup MK2 [race car]	07 - 13	4346	1158
Leon TCR [race car]	15 -	1539	1363
Several		8064	
Toledo 2.3i V5	99 -	1678	1158

Sin Cars

R1	15 -	1903	1903
R1 RS	15 -	1903	1903
R1 GT4	15 -	1903	1903

Skoda

Fabia R5	14 -	1896	
Fabia R5 Tarmac Rally	14 - 16	1616	1616
Fabia R5 Tarmac Rally	17 -	1616	1616
Fabia RS Rallye S2000	15 -	1616	1616
Octavia 1.8i 20V Turbo	97 -	1678	1158
Several		8064	

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear

Subaru

Impreza 2.5 WRX (system Tokico)	11 -	8174	
STI 3rd & 4th generation	03 - 16	2487	1587
STI 5th generation [6 piston Brembo caliper] - on request	17 -		
WRX Japan + EU	98 - 03	1406	

Sunbeam

Alpine	64 - 67	4905	
Tiger	64 - 67	4905	

Talbot

Simca 1000 Rallye I	69 - 81	4122	
Simca 1000 Rallye II+III	72 - 81	4304	

Toyota

GT86 2.0 GT (system Tokico)	12 -	8174	8175
GT86 2.0 GT R3 Rally	15 -	1595	3102
Yaris 1.3	06 -	4913	
Yaris Cup & MR2 Spyder		8029	

TVR

Griffith	64	4508	1192
----------	----	------	------

Volvo

Amazone P121S	61 - 69	8042	
P1800	61 - 69	8042	
S60 Turbo R Brembo brakes	03 -	2487	1408
V70 R 2.5T Brembo brakes	03 -	2487	1408

VW

Golf 1.1 / 1.3 / 1.6 GTI	75 - 83	4304	
Golf 1.5 / 1.6 / Polo	74 - 78	2723	
Golf III 2.0i GTI 16V & VR6	92 - 96	1743	1158
Golf III 2.0i GTI 16V & VR6	96 - 97	1678	1158
Golf IV (1J) 1.8 & 2.0	97 - 04		1158

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear

VW

Golf IV 1.8 Turbo & 2.3i V5	97 - 04	1678	1158
Golf IV 2.8i V6	99 - 04	1678	1158
Golf IV 3.2 R32	02 - 05	2830	1158
Golf TCR [race car]	15 -	1539	1363
Golf V 3.2 R32	05 - 08	8064	8046
Golf V GTI (disc Ø 288 mm)	04 - 08	8001	8046
Golf V GTI (disc Ø 345 mm)	04 - 08	8064	8046
Golf VI 2.0R 4motion (disc Ø 345 mm)	09 - 12	8064	8046
Golf VI GTI (disc Ø 312 mm)	09 - 12	8001	4936
Golf VII 2.0 GTI (disc Ø 340 mm) performance brake	13 -	8201	
Golf VII 2.0 R 4motion (disc Ø 340 mm) performance brake	13 -	8201	
Lupo 1.6 GTI	00 - 05	1743	1158
New Beetle 1.8 Turbo 20V	99 - 10	1678	1158
New Beetle 2.3 & 3.2 V6	00 -	1678	1158
Polo (6N) 1.3i & 1.4i	94 - 99	4011	
Polo (6N) 1.4i 100 16V	99 - 01	1743	1158
Polo (6N) 1.6 GTI	98 - 01	1743	1158
Scirocco	73 - 80	2723	
Touareg [ceramic brakes]	08 -	4917	4918
Touareg V10 TDI & 4.2 V8	02 -	2845	8069

Wartburg

1.0 / 1.3	66 - 91	8067	
-----------	---------	------	--



RACING BRAKE PADS / APPLICATION LIST CALIPER

Race Caliper	Pad Thickness	PAGID Racing Pad Shape No.
Alcon		
B type [4441]	16 / 20 / 22 / 25 mm	1595 / 1607 / 8037 / 1674
A type	17 mm	1192
CAR12 [4494]	18 mm	8044
CAR17 [4417]	16.3 mm	8011
CAR23 [4423X650]	15 mm	4916
CAR68 [4423]	16 mm	4912
CAR94, CAR12 [4494]	30 mm	2016
CAR9549Y76 D52	29 mm	2488
CAR9549Y76 D64	29 mm	8100
DP88, TA6+, CAR95 [4495]	26.5 / 29 mm	2688 / 2557
H type [4463] D40 / D44 / D48	16 mm	1749 / 2127 / 1265
K type [4476]	15 / 20 mm	1756 / 2743
Mono4 [PNP4489]	15 mm	8050
Mono6 [4497 X 850] D57	16 mm	8007
Mono6 [4497 x 500]	16 mm	8028
P type [4436]	15.5 / 17.5 mm	8009 / 1203
PNP0084x379	25 mm	8045
PNP4417x550	18 mm	8011
PNP4488	18 mm	8043
PNR4423x600	18 mm	4912
PNR4423x650	15 mm	4916
R5	16 mm	1595
R type D42	14.4 mm	3102
R type [3451] D42 / D48	14.4 mm	3102 / 3190
RC4	16.7 mm	4345
RC6	17 mm	8081
SR, CAR22 [4422] D37	16 mm	8000
SR, CAR22 [4422] D43	16 / 20 mm	1705 / 1283
TA 4, CAR84 [4484]	18 / 22 / 24 mm	1842 / 8090 / 1908
TA6, CAR89, CAR11 [4489] D51	17 / 18 / 25 mm	8018 / 1903 / 1538
TA6, CAR89, CAR11 [4489] D54	18 / 25 / 25 / 28.5 mm	1904 / 1539 / 8245 / 8250
TPC CAR20 [4420] D61	17 / 24 / 28 / 30 mm	8033 / 3277 / 3279 / 3278
TPC CAR26 [4426]	20 / 25 / 28 mm	1896 / 1619 / 1618

RACING BRAKE PADS / APPLICATION LIST CALIPER

Race Caliper	Pad Thickness	PAGID Racing Pad Shape No.
--------------	---------------	----------------------------

AP Racing

CP 2270-144 / 145 S4QR CP 2271-182 / 183 S4QR	16.8 mm	1269
CP 2279-400 S4BP	16.6 mm	1361
CP 2361	16 mm	1749
CP 2361	16 mm	1265
CP 2361-96 / 97 S4QR	16 mm	1749
CP 2561-3 S4	16.8 mm	1363
CP 3307-74 / 75 / 76 / 77 S4	16.8 mm	1361
CP 3696-6 E0	10.5 mm	1362
CP2195 D38 LD19	10.5 mm	1362
CP2270 D46	17 mm	1269
CP2279 D50	17 / 20 mm	1361 / 1270
CP2340 D40 / D48	16 mm	1749 / 1265
CP2372 D52	16 mm	8040
CP2382-12/13 E4 + CP2383-12/13 E4	16 mm	8040
CP2399 D43 LD20	15 mm	1363
CP2712 D44	15 mm	8068
CP3215 D42	17 mm	2126
CP3228-26/27 S4	16 mm	1265 / 1749
CP3345 D44	16 mm	2127
CP3345 D40 / D44	16 / 17 mm	2127 / 8237
CP3558 D46 / D51 / D54	25 mm	1813 / 1538 / 1539
CP3558 D51 / D54	28.5 mm	8192
CP3714 D54	20 / 25 mm	1267
CP3894 D46 / D51 / D54	18 mm	1852 / 1903 / 1904
CP4479 D42	17 / 18 mm	2126 / 8216
CP4479 D50	20 / 22.6 mm	1270
CP5045 D61	18 / 22 mm	1842 / 8090
CP5070 D51	17 mm	8018
CP5119 D50	15 mm	1587
CP5510 D43	16 / 20 / 22 mm	1705 / 1283 / 8193
CP5788 D48	20 mm	1896
CP5820 D62	30 mm	2016
CP5850 D61	17.5 / 24 / 28 / 30 mm	8033 / 3277 / 3279 / 3278
CP6070 D49	25 mm	1674

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST CALIPER

Race Caliper	Pad Thickness	PAGID Racing Pad Shape No.
--------------	---------------	----------------------------

AP Racing

CP6080 D54	29 mm	2557
CP6210 D51	26 mm	8233
CP6210 D54	25 / 26.5 / 29 / 31 / 32 mm	8222 / 2688 / 2557 / 2558 / 2559
CP6210 D64	30 mm	2560
CP6230 D54	25 / 25 mm	8222 / 8233
CP6268 D62	30 mm	2017
CP6269	25 / 26.5 / 29 / 30 / 30 mm	8222 / 2688 / 2557 / 2560 / 2564
CP6276 D62	30 mm	2019
CP6470 & CP6480 D49	25 mm	1674
CP6600 D55	16.7 mm	4345
CP6627 D51	16.7 mm	8214
CP6766 D50	18 mm	8044
CP6820 D46	16 mm	1617
CP7031 D32 (F3 caliper)	16 mm	8060
CP7040 D58	16.7 mm	4346
CP7600 D46	14.4 / 16 mm	8076 / 4349
CP8250 D41	20 mm	2205
CP8250 D51	20 mm	2206
CP9660 D54	18 mm	1904
CP9665 D54	25 mm	8222

Application Caliper

Baer Brakes

S4	13 mm	1796
6P	15 mm	2213
6S	18 mm	1903

Brakeman

F1 Tornado	10.5 mm	1362
F2 Tornado	15 mm	1363
F4 Tornado	17 / 20 mm	8195 / 2555

Brembo

"Big Red" [type "132A" family]	18 / 22 / 24 mm	1842 / 8090 / 1908
07.1715. [type "62" family]	15 / 18 mm	4304
07.4180. [caliper family E]	15 mm	1587

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST CALIPER

Race Caliper	Pad Thickness	PAGID Racing Pad Shape No.
--------------	---------------	----------------------------

Brembo

07.4865. GT (F-40) [caliper family B, H, P]	18 mm	1287
07.5064. [type "100" or B09 family]	16 / 20 / 22 mm	1705 / 1283 / 8193
07.5139. [type "132" or B13 family]	16 / 20 / 22 / 25 / 26.5 / 29 mm	1595 / 1607 / 8037 / 1674 / 2704 / 8191
07.5146. GT (Lotus) [caliper family A, C, F]	15 mm	1408
07.5169. [type "140" or B18 family]	16 / 17 / 20 / 25 / 28 mm	1616 / 8030 / 1896 / 1619 / 1618
07.5684. 8 piston [type "80" family]	20 mm	2053
07.5868. 8 piston	20 / 22 / 26.5 mm	2105
07.6955.1 [type "140C" or B19 family]	17.5 / 24 / 28 / 30 mm	8033 / 3277 / 3279 / 3278
07.7293. 6 piston [type "164" or B24 family]	20 / 22 / 25 / 29 / 31 mm	2687 / 8038 / 8087 / 2488 / 8173
07.7881. 4 piston [type "100A" or B08 family]	16 mm	8000
07.8544 8 piston [caliper family G]	16.5 mm	2931
07.A262.xx F3 [type B10 family]	16 mm	8049
CP 2712 D44	15 mm	8068
hp 2 piston 84.7x70	17 mm	8069
hp 4 piston 125x65	15.5 mm	8023
hp 6 piston 165x82	16.4 mm	8005
NASCAR front 07.7614 [type "B21" family]	30 mm	2016
NASCAR front 07.7614 bigger version [type "B21" family]	30 mm	2017
Type "B28" family; 6 piston D64 wide	21 / 25 / 26 / 29 / 31 mm	8102 / 8101 / 8194 / 8100 / 8103
XA3.40.xx 6 piston [type "164B" or "B22" family]	18 mm	8044
XA5.71.L2 6 piston D57.5 [caliper family J, N]	16.8 mm	8062
XA5.71.M2 6 piston D48 [caliper family M]	16.8 mm	8061
XA5.71.xx 6 piston D66	17 mm	8081
XA5.71.xx 6 piston D76	17 mm	8083
XA5.71.xx 6 piston D85	16 mm	8091

Caparo AP

Racing caliper	16 mm	8078
----------------	-------	------

Coleman

Series I & II	17 / 20 mm	8195 / 2555
Series III	16 mm	1595
Series IV	18 mm	1903

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST CALIPER

Race Caliper	Pad Thickness	PAGID Racing Pad Shape No.
--------------	---------------	----------------------------

Dunlop

07.1715.5	15 mm	4304
1 3/4" Zoll orig. Alfa Romeo Parts Nr. 105142205200	17 mm	8056
2 1/8" Zoll orig. Jaguar Parts Nr. VBO 5370	17 mm	8070

Kelsey Hayes

1 3/4" Zoll orig. Jaguar Parts Nr. VBO 5375	17 mm	8071
---	-------	------

Lockheed

Mustang Mk1 / T5 / 289 GT	18 mm	8086
LD-19	10.5 mm	1362

Lucas-Girling

16 / 4	17.5 mm	1203
14LF	14.4 mm	3190
14LF & D14R	14.4 mm	3102
16 / 4	24 mm	1916
18 / 4 RRS-19 & 18 / 4 RRS-25	20 mm	1267
AR 3	17.5 mm	8032
AR 5	17 / 20 mm	1192 / 1193
BR & B Type MK5	20 mm	4508
CR Caliper	24 mm	1195
D 12 / 14 R	14.4 mm	3102
Girling 3C & C-Type	18.5 mm	1191
LD-20	15 mm	1363
Lucas-Girling 12/3 WVA 20007	15.5 mm	8041
Lucas-Girling 17/3 WVA 20027	16 mm	8042
M16	15.5 mm	4905
NR	17.5 mm	8055
SL 38 / 43	17 mm	1361

Outlaw

1000 / 1500	12 mm	1809USA
2000 / 2500	13 mm	1796
3000 / 3500 / 4000	17 / 20 mm	8195 / 2555

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST CALIPER

Race Caliper	Pad Thickness	PAGID Racing Pad Shape No.
--------------	---------------	----------------------------

PFC

ZR20 [Formula 3]	15.5 mm	8034
ZR22 4 piston	28.5 mm	8093
ZR27 4 piston (BMW M235i Racing)	27 mm	8197
ZR53 6 piston [D52]	29 mm	4923
ZR53 6 piston [D59.5]	29 mm	8092
ZR88	18 mm	8251

StopTech

ST21	15 mm	4304
ST22	15 mm	1587
ST40	18 mm	1204
ST43 standard annulus	20 mm	2205
ST43 wide annulus	20 mm	2206
ST60	18 mm	1903
STR GT	17.5 / 24 / 28 / 30 mm	8033 / 3277 / 3279 / 3278

Wilwood

Dynalite Centre Pin	13 mm	1796
Dynalite Single	12 mm	1809USA
Dynalite Pro 7816	16 mm	2581USA
GM Metric [D154]	15 mm	1594USA
GMII, GMIII [D52]	15 mm	1595USA
GN	20 / 25 mm	1798USA
GT 4000	20 mm	1607
Integra HP	24 mm	3277
Integra IP	25 mm	1619
IR - GT	20 mm	1283
NDL	16 mm	1712USA
Superlite	20 mm	2555
Superlite bridge bolt D43	17 / 20 mm	8195 / 2205
Superlite bridge bolt D51	20 mm	2206


Please check with the appropriate drawing in shape list!





More applications and compounds on inquiry

SHAPE LIST

Shape No.: 1141			Thickness: 17 mm			
Information:			BMW rear			
Compounds:			RSL 19			
						
Related Shape No. :						
Thickness (mm) :						

Shape No.: 1144

Thickness: 19.5 mm

Information:


BMW M3 E30 front

Compounds:

RSL 29

RS 42

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1146		Thickness: 15.5 mm				
Information:	-					
Compounds:	RSH 29E					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 1151


Thickness: 13.5 mm

Information: -

Compounds: RSH 42

Related Shape No. :	1177	-	-	-	-	-
Thickness (mm) :	15.5	-	-	-	-	-


Shape No.: 1158		Thickness: 15 mm				
Information:		Audi / VW rear				
Compounds:		RSL 19	RSL 29	RS 14	RS 42	RS 44
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1163		Thickness: 13.7 mm				
Information:		Caterham				
Compounds:		<div>RS 14</div> <div>RS 42</div>				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 1177		Thickness: 15.5 mm					
Information: Opel							
Compounds:		RSH 42					
							
Related Shape No. :		1151	-	-	-	-	-
Thickness (mm) :		13.5	-	-	-	-	-

Shape No.: 1190


Thickness: 19 mm

Information: -

Compounds: RSH 29E

Technical drawing of Shape No. 1190. The drawing shows a wide, shallow pad with a central circular feature. The overall width is 110 mm and the overall height is 60 mm. The central feature is a circular pad with a small hole in the center. The main body of the pad has a slightly irregular, rounded shape with some internal structural details.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1191		Thickness: 18.5 mm					
Information: -							
Compounds:		RSH 3	RSH 29E	RSH 42			
							
Related Shape No. :	1195	-	-	-	-	-	-
Thickness (mm) :	24	-	-	-	-	-	-

Shape No.: 1192

Thickness: 17 mm

Information: -

Compounds:

RSH 3

RSH 29E

RSH 42

Related Shape No. :	1193	-	-	-	-	-
Thickness (mm) :	20	-	-	-	-	-

Shape No.: 1193

Thickness: 20 mm

Information: -


Compounds: RSH 29E

Technical drawing of Shape No. 1193, a wide pad with a central vertical groove. The drawing shows the following dimensions:

- Overall width: 102 mm
- Overall height: 53 mm
- Pad Depth: 50 mm

The pad has a central vertical groove and two circular features on the top edge, one on each side of the groove.


Related Shape No. :	1192	-	-	-	-	-
Thickness (mm) :	17	-	-	-	-	-


Shape No.: 1195		Thickness: 24 mm					
Information: -							
Compounds:		RSH 3		RSH 29E			
							
Related Shape No. :		1191	-	-	-	-	-
Thickness (mm) :		18.5	-	-	-	-	-


Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 1203			Thickness: 17.5 mm			
Information: Alcon / Ferrari / Lucas-Girling / Maserati / Porsche						
Compounds:	RSL 19	RSL 29	RST 3	RST 4	RS 14	
				RS 42	RS 44	
						
Related Shape No. :	1916	8009	-	-	-	-
Thickness (mm) :	24	15.5	-	-	-	-

Shape No.: 1204			Thickness: 18 mm			
Information: Porsche / StopTech						
Compounds:	RSL 19	RSL 29	RST 3	RST 4	RSC 1	
			RS 14	RS 42	RS 44	
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1265				Thickness: 16 mm		
Information: Alcon / AP Racing / Caterham						
Compounds:	RSL 29	RST 1	RST 2	RST 5	RSH 3	
					RSH 42	
						
Related Shape No. : - - - - -						
Thickness (mm) : - - - - -						

Shape No.: 1267

Thickness: 20 mm

Information: AP Racing / Lucas-Girling

Compounds: **RSL 19**

Related Shape No. :

-

-

-

-

-

-

Thickness (mm) :

-


-

-

-

-

-

Shape No.: 1269		Thickness: 17 mm				
Information: AP Racing						
Compounds:	RSL 29	RST 1	RST 2	RST 4	RSH 3	
					RSH 42	
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1270

Thickness: 20 mm

Information:

AP Racing / BMW / Chevrolet

Compounds:

RSL 1

RSL 29

RS 42

RST 1

RST 2

RST 3

RST 4

RST 5

Related Shape No. :	1361	-	-	-	-	-
Thickness (mm) :	17	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 1276

Thickness: 19.5 mm


Information: Audi


Compounds:


RSL 29


RS 42


Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1283			Thickness: 20 mm			
Information: Alcon / AP Racing / Brembo						
Compounds:	RST 1	RST 2	RST 3	RST 4	RST 5	
				RS 42	RS 44	
						
Related Shape No. :	1705	8193	-	-	-	-
Thickness (mm) :	16	22	-	-	-	-

Shape No.: 1285			Thickness: 16.8 mm			
Information: BMW rear						
Compounds:		RSL 1	RSL 29	RST 4	RS 14	RS 42
						RS 44
						
Related Shape No. : - - - - -						
Thickness (mm) : - - - - -						

Shape No.: 1287			Thickness: 18 mm			
Information: Brembo						
Compounds:	RSL 1	RSL 29	RS 14	RS 42	RS 44	
	RST 1	RST 2	RST 3	RST 4	RSC 1	RSC 3
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 1288		Thickness: 17.5 mm				
Information: Opel						
Compounds:		RS 42				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 1291			Thickness: 17.8 mm		
Information: BMW front					
Compounds:		RSH 29E	RSH 42		
					
Related Shape No. :	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-


Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.


More applications and compounds on inquiry


SHAPE LIST


Shape No.: 1295	Thickness: 19.5 mm					
Information:	Alfa Romeo / BMW					
Compounds:	RSL 1	RSL 2	RSL 29	RS 14	RS 42	
	RST 1	RST 2	RST 3	RS 44		
 <p>156.3 mm</p> <p>Pad Depth: 56 mm</p> <p>64 mm</p>						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1323	Thickness: 14.5 mm					
Information:	-					
Compounds:	RSH 42					
 <p>107.3 mm</p> <p>45 mm</p>						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1361	Thickness: 17 mm					
Information:	AP Racing / Lucas-Girling					
Compounds:	RSL 1	RSL 29	RS 14	RSH 3	RSH 42	
	RST 1	RST 2	RST 3	RST 4	RST 5	
 <p>132 mm</p> <p>Pad Depth: 50 mm</p> <p>56 mm</p>						
Related Shape No. :	1270	-	-	-	-	-
Thickness (mm) :	20	-	-	-	-	-

Shape No.: 1362	Thickness: 10.5 mm					
Information:	AP Racing / Formula Ford					
Compounds:	RSH 3	RSH 42				
 <p>59.3 mm</p> <p>Pad Depth: 38 mm</p> <p>51.5 mm</p>						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 1363	Thickness: 15 mm					
Information:	AP Racing / Formula Ford					
Compounds:	RSL 2	RSL 29	RST 2	RST 4	RSH 42	
				RS 14	RS 44	
 <p>70 mm</p> <p>Pad Depth: 43 mm</p> <p>58 mm</p>						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 1406	Thickness: 14.5 mm					
Information:	Mitsubishi / Nissan / Subaru					
Compounds:	RSL 1	RSL 29	RS 14	RS 42	RST 3	
 <p>119 mm</p> <p>Pad Depth: 50 mm</p> <p>62 mm</p>						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 1408			Thickness: 15 mm			
Information: Brembo / Ferrari						
Compounds:	RSL 1	RSL 29	RS 14	RS 42	RS 44	
		RST 1	RST 2	RST 3	RST 4	
						RSC 1
<div><div><div>110 mm</div><div></div><div>69 mm</div></div></div>						
Pad Depth: 52 mm						

Shape No.: 1427				Thickness: 17.2 mm		
Information: BMW / Nissan						
Compounds:	RSL 1	RSL 2	RSL 29	RS 42	RS 44	
						RST 3
						
Related Shape No. : - - - - -						
Thickness (mm) : - - - - -						

Shape No.: 1538

Thickness: 25 mm

Information:

Alcon / AP Racing / StopTech

Compounds:

RSL 19

RSL 29

RST 1

RST 3

RS 14

RSC 2

Related Shape No. :	1903	8018	8192	-	-	-
Thickness (mm) :	18	17	28,5	-	-	-

Shape No.: 1539

Thickness: 25 mm

Information: Alcon / AP Racing

Compounds:

RSL 1

RSL 2

RSL 29

RS 42

RST 1

RST 2

RST 3

RST 4

RST 5

Related Shape No. :

1904

8250

-

-

-

-

Thickness (mm) :

18


28.5

-

-

-

-

Shape No.: 1544		Thickness: 17.5 mm				
Information: BMW / Citroen						
Compounds:	RSL 29	RS 44				
						
Related Shape No. : - - - - - -						
Thickness (mm) : - - - - - -						

Shape No.: 1580

Thickness: 14.5 mm

Information: Porsche

Compounds: RS 42

63.8 mm

64 mm

Pad Depth: 48 mm

Related Shape No. :

-

-

-

-

-

-

Thickness (mm) :

-

-

-

-

-


-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry


SHAPE LIST

Shape No.: 1587	Thickness: 15 mm					
Information: AP Racing / Brembo / StopTech						
Compounds:	RSL 19	RSL 29	RST 3	RST 4	RS 14	
				RS 42	RS 44	





Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1591	Thickness: 15.6 mm					
Information: Mitsubishi						
Compounds:	RS 42					





Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1594USA	Thickness: 15 mm					
Information: GM Intermediate						
Compounds: on inquiry						

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1595USA	Thickness: 15 mm					
Information: GM Metric						
Compounds: on inquiry						






Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 1595			Thickness: 16 mm			
Information: Alcon / Brembo / AP Racing						
Compounds:	RSL 1	RSL 19	RSL 29	RS 14	RS 42	
	RST 1	RST 2	RST 3	RST 4	RS 44	
	RST 5					
						
Related Shape No. :	1607	1674	2704	8037	8191	-
Thickness (mm) :	20	25	26.5	22	29	-

Shape No.: 1607			Thickness: 20 mm			
Information: Alcon / Brembo / Wilwood						
Compounds:	RSL 1	RSL 29	RS 14	RS 42		
	RST 1	RST 2	RST 3	RST 4	RST 5	
						
Related Shape No. :	1595	1674	2704	8037	8191	-
Thickness (mm) :	16	25	26.5	22	29	-

Shape No.: 1610			Thickness: 12 mm			
Information: Citroen / Peugeot / Renault rear						
Compounds:		RS 42				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1616

Thickness: 16 mm

Information: Brembo / Ford / Skoda

Compounds:


RST 1

RST 2

RST 3

RST 5

Related Shape No. :	1618	1619	1896	8030	-	-
Thickness (mm) :	28	26	20	17	-	-

Shape No.: 1617			Thickness: 16 mm			
Information: AP Racing / Ford						
Compounds:		RST 1	RST 3	RST 5		
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1618

Thickness: 28 mm

Information: Alcon / Brembo


Compounds: RSL 1 RSL 29


Related Shape No. :	1616	1619	1896	8030	-	-
Thickness (mm) :	16	26	20	17	-	-


Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.


More applications and compounds on inquiry


SHAPE LIST


Shape No.: 1619		Thickness: 26 mm				
Information: Alcon / Brembo / Wilwood						
Compounds:	RSL 1	RST 1	RST 2	RST 3	RST 4	RS 42
						
Related Shape No. :	1616	1618	1896	8030	-	-
Thickness (mm) :	16	28	20	17	-	-

Shape No.: 1620		Thickness: 16.5 mm				
Information: Opel						
Compounds:	RST 3	RS 42				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1674		Thickness: 25 mm							
Information: Alcon / AP Racing / Brembo									
Compounds:	RSL 1	RSL 2	RSL 19	RSL 29	RST 1	RST 2	RST 3	RST 4	RS 44
									
Related Shape No. :	1595	1607	2704	8037	8191	-			
Thickness (mm) :	16	20	26.5	22	29	-			

Shape No.: 1678		Thickness: 19.5 mm				
Information: Audi / Seat / Skoda / VW						
Compounds:	RS 42					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1682		Thickness: 13 mm				
Information: Dodge / Lotus / Opel						
Compounds:	RST 3	RS 14	RS 42			
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1702		Thickness: 19 mm				
Information: Renault						
Compounds:	RSL 29	RST 3	RS 14	RS 42	RS 44	
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry


Shape No.: 1703


Thickness: 12 mm


Information: -


Compounds: RSH 42


Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1705	Thickness: 16 mm					
Information:	Alcon / AP Racing / Brembo					
Compounds:	RSL 29	RST 1	RST 2	RST 3	RST 4	
			RS 14	RS 42	RST 5	
						
Related Shape No. :	1283	8193	-	-	-	-
Thickness (mm) :	20	22	-	-	-	-

Shape No.: 1712USA				Thickness: 16 mm		
Information: Wilwood						
Compounds: on inquiry						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1743	Thickness: 16 mm					
Information:	Seat / VW					
Compounds:	RS 14	RS 42				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 1744	Thickness: 19.5 mm					
Information:	-					
Compounds:	RSH 29E	RSH 42				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 1749	Thickness: 16 mm					
Information:	Alcon / AP Racing					
Compounds:	RSL 2	RST 1	RST 2	RST 4	RST 5	
	RSL 29	RS 14	RSH 3	RSH 42		
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.


More applications and compounds on inquiry


SHAPE LIST


Shape No.: 1756		Thickness: 20 mm				
Information: Alcon						
Compounds: RSL 29						
						
Related Shape No. :	2743	-	-	-	-	-
Thickness (mm) :	15	-	-	-	-	-

Shape No.: 1796		Thickness: 13 mm				
Information: Outlaw / Wilwood						
Compounds: RSL 29 RS 42						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1798USA		Thickness: 20 mm				
Information: Wilwood						
Compounds: on inquiry						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1809USA		Thickness: 12 mm				
Information: Wilwood						
Compounds: on inquiry						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 1813		Thickness: 25 mm				
Information: AP Racing						
Compounds: RSL 1 RST 4 RS 14						
						
Related Shape No. :	1852	-	-	-	-	-
Thickness (mm) :	18	-	-	-	-	-


Shape No.: 1842		Thickness: 18 mm				
Information: Alcon / AP Racing / Audi / Brembo / Porsche						
Compounds: RSL 1 RSL 19 RSL 29 RST 3 RS 14 RS 42 RS 44						
						
Related Shape No. :	1908	8090	-	-	-	-
Thickness (mm) :	24	22	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 1852		Thickness: 18 mm				
Information:		AP Racing				
Compounds:	RSL 1	RSL 19	RSL 29	RST 3	RS 42	
						
Related Shape No. :	1813	-	-	-	-	-
Thickness (mm) :	25	-	-	-	-	-

Shape No.: 1896			Thickness: 20 mm			
Information:	Alcon / AP Racing / Brembo / Ferrari					
Compounds:	RSL 1	RSL 29	RS 14			
	RST 1	RST 2	RST 3	RST 4	RST 5	
						
Related Shape No. :	1616	1618	1619	8030	-	-
Thickness (mm) :	16	28	26	17	-	-

Shape No.: 1897

Thickness: 14.5 mm


Information:

Mitsubishi

Compounds:

RS 42

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1903			Thickness: 18 mm			
Information: Alcon / AP Racing / Coleman / StopTech						
Compounds:	RSL 1	RSL 2	RSL 29	RS 14	RS 42	
	RST 1	RST 2	RST 3	RST 4	RSC 1	
						
Related Shape No. :	1538	8018	8192	-	-	-
Thickness (mm) :	25	17	28.5	-	-	-

Shape No.: 1904

Thickness: 18 mm

Information:

Alcon / AP Racing / Honda (Acura) / Mitsubishi

Compounds:

RSL 1

RSL 19

RSL 29

RST 1

RST 3

RST 5

152 mm

with or without lug

Pad Depth: 54 mm

63 mm

Related Shape No. :	8245	8250	-	-	-	-
Thickness (mm) :	25	28.5	-	-	-	-

Shape No.: 1908

Thickness: 24 mm

Information:

Alcon / Brembo / Porsche

Compounds:

RSL 1

RSL 29

RST 1

RST 2

RST 3

RS 14

RS 42

Related Shape No. :	1842	8090	-	-	-	-
Thickness (mm) :	18	22	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 1916

Thickness: 24 mm

Information: Alcon / Porsche

Compounds:

RSH 29E

RSH 42

97.8 mm

65 mm

Pad Depth:
49 mm

Related Shape No. :	1203	8009	-	-	-	-
Thickness (mm) :	17.5	15.5	-	-	-	-

Shape No.: 2016

Thickness: 30 mm

Information:

Alcon / AP Racing / Brembo

Compounds:


RSL 1

RSL 2

RSL 29

RST 1

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2017			Thickness: 30 mm			
Information: AP Racing / Bentley / Brembo / Chevrolet						
Compounds:		RSL 1	RSL 2	RSL 29	RST 1	RST 3
						
Related Shape No. : - - - - -						
Thickness (mm) : - - - - -						

Shape No.: 2019

Thickness: 30 mm

Information:

AP Racing / BMW


Compounds:

RSL 1

RSL 2

RST 1

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2053			Thickness: 20 mm			
Information: Brembo						
Compounds:		RSL 29	RS 14	RS 42		
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2105

Thickness: 22 mm

Information: Brembo

Compounds: on inquiry

85 mm

68 mm

Pad Depth: 50 mm

Related Shape No. :

-

-

-

-

-

-

Thickness (mm) :

-

-

-

-

-

-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 2126

Thickness: 17 mm

Information:

AP Racing

Compounds:

RSL 1

RSL 29


RST 1


RST 3

RST 5

RS 42

Related Shape No. :	8216	-	-	-	-	-
Thickness (mm) :	18	-	-	-	-	-

Shape No.: 2127			Thickness: 16 mm			
Information: Alcon / AP Racing						
Compounds:	RSL 1	RSL 29	RST 3	RST 4	RST 5	
				RS 14	RS 42	
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2180		Thickness: 17.2 mm				
Information: BMW						
Compounds:		RSL 29	RST 1	RST 3		
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2205

Thickness: 20 mm

Information: AP / Wilwood

Compounds: **RST 1**

121 mm

61 mm

Pad Depth:
43 mm

Related Shape No. :

-

-

-

-

-

-

Thickness (mm) :

-

-

-

-

-

-

Shape No.: 2206

Thickness: 20 mm

Information:

AP Racing / StopTech / Wilwood

Compounds:

RSL 29

RST 1

RST 3

RST 4

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2213

Thickness: 15 mm

Information:

Corvette C5 / C6 base

Compounds:


RSL 29


Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.


More applications and compounds on inquiry


SHAPE LIST


Shape No.: 2275	Thickness: 19.5 mm
Information: Opel	
Compounds: RSL 29	
	
Related Shape No. :	- - - - -
Thickness (mm) :	- - - - -

Shape No.: 2388	Thickness: 18.5 mm
Information: Citroen, Peugeot	
Compounds: on inquiry	
	
Related Shape No. :	- - - - -
Thickness (mm) :	- - - - -

Shape No.: 2405	Thickness: 18.5 mm
Information: Porsche	
Compounds: RSL 1 RSL 2 RSL 19 RSL 29 RST 3 RST 4 RS 14 RS 42 RS 44 RSC 1 RSC 3	
	
Related Shape No. :	- - - - -
Thickness (mm) :	- - - - -

Shape No.: 2406	Thickness: 15.5 mm
Information: Porsche	
Compounds: RSL 1 RSL 19 RSL 29 RST 3 RS 14 RS 42 RS 44	
	
Related Shape No. :	- - - - -
Thickness (mm) :	- - - - -


Shape No.: 2407	Thickness: 15.5 mm
Information: Porsche	
Compounds: RSL 29 RST 3 RS 14 RS 42 RS 44	
	
Related Shape No. :	- - - - -
Thickness (mm) :	- - - - -


Shape No.: 2445	Thickness: 15.5 mm
Information: Mitsubishi	
Compounds: RS 42	
	
Related Shape No. :	- - - - -
Thickness (mm) :	- - - - -


Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 2474			Thickness: 18.5 mm			
Information: Porsche						
Compounds:	RSL 19	RSL 29	RS 14	RS 42	RS 44	RST 3
						
Related Shape No. : - - - - -						
Thickness (mm) : - - - - -						

Shape No.: 2487			Thickness: 16 mm		
Information: Renault					
Compounds:	RSL 1	RSL 19	RSL 29	RS 14	RS 42
	RST 1	RST 2	RST 3	RSC 1	
					
Related Shape No. :	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-

Shape No.: 2488		Thickness: 29 mm				
Information: Alcon / Brembo						
Compounds:	RSL 1	RSL 2	RSL 19	RSL 29	RS 14	
	RST 1	RST 2	RST 3	RST 4		
						

Shape No.: 2555

Thickness: 20 mm

Information:

Brakeman / Coleman / Opel / Outlaw / Wilwood

Compounds:

RSL 1

RSL 29

RS 14

RST 1

RST 2

RST 3

RST 4

Related Shape No. :	8195	-	-	-	-	-
Thickness (mm) :	17	-	-	-	-	-

Shape No.: 2557

Thickness: 29 mm

Information: Alcon / AP Racing / McLaren

Compounds:

RSL 1

RSL 2

RSL 19

RSL 29

RST 1

RST 2

RST 3

RST 4

Related Shape No. :	2558	2559	2688	8222	-	-
Thickness (mm) :	31	32	26.5	25	-	-

Shape No.: 2558

Thickness: 31 mm

Information: BMW


Compounds: RSL 1


Related Shape No. :	2557	2559	2688	8222	-	-
Thickness (mm) :	29	32	26.5	25	-	-


Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.


More applications and compounds on inquiry


SHAPE LIST


Shape No.: 2559		Thickness: 32 mm				
Information: Alcon / AP Racing						
Compounds: RSL 1 RSL 2						
						
Related Shape No. :	2557	2558	2688	8222	-	-
Thickness (mm) :	29	31	26.5	25	-	-

Shape No.: 2560		Thickness: 30 mm				
Information: AP Racing / Nissan						
Compounds: RSL 1 RSL 2 RST 1 RST 5						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2564		Thickness: 30 mm				
Information: -						
Compounds: RSL 1 RSL 2 RST 1						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2581USA		Thickness: 16 mm				
Information: Wilwood						
Compounds: on inquiry						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 2593		Thickness: 14.6 mm				
Information: Lotus / Opel						
Compounds: RS 14						
						
Related Shape No. :	1587	-	-	-	-	-
Thickness (mm) :	15	-	-	-	-	-


Shape No.: 2623		Thickness: 17.3 mm				
Information: Honda (Acura)						
Compounds: RSL 29 RS 42						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 2683			Thickness: 19 mm			
Information: BMW / Maserati						
Compounds:		RSL 29				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2685			Thickness: 17 mm			
Information: BMW / Maserati						
Compounds:	RSL 1	RSL 29				
	RST 1	RST 2	RST 3	RST 4		
						
Pad Depth: 55 mm						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2687

Thickness: 20 mm

Information: Brembo

Compounds: RSL 29

Related Shape No. :	2488	8038	8087	8173	-	-
Thickness (mm) :	29	22	25	31	-	-

Shape No.: 2688

Thickness: 26.5 mm

Information: Alcon / AP Racing

Compounds:

RSL 1

RSL 19

RSL 29

RST 1

RST 3

Related Shape No. :	2557	2558	2559	8222	-	-
Thickness (mm) :	29	31	32	25	-	-

Shape No.: 2704

Thickness: 26.5 mm

Information: Audi / Brembo


Compounds: **RSL 1** **RSL 2** **RSL 19** **RSL 29**

132 mm

62 mm

Pad Depth: 49 mm

Related Shape No. :	1595	1607	1674	8037	8191	-
Thickness (mm) :	16	20	25	22	29	-

Shape No.: 2707			Thickness: 18 mm			
Information: Porsche						
Compounds:		RSL 19	RSL 29	RS 14	RS 44	
				RSC 1	RSC 3	
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST


Shape No.: 2723

Thickness: 18 mm

Information: -

Compounds: RSH 29E

Related Shape No. :	4304	-	-	-	-	-
Thickness (mm) :	15	-	-	-	-	-

Shape No.: 2743		Thickness: 15 mm				
Information:	Alcon					
Compounds:	RSL 29	RSC 1				
						
Related Shape No. :	1756	-	-	-	-	-
Thickness (mm) :	20	-	-	-	-	-

Shape No.: 2830

Thickness: 20 mm

Information:

Audi / Mercedes / VW

Compounds:

RSL 29

RS 44

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2845

Thickness: 16 mm


Information:


Porsche / VW

Compounds:

RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2905USA		Thickness: 12.5 mm				
Information:	Willwood					
Compounds:	on inquiry					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2931			Thickness: 16.5 mm			
Information: Audi / Brembo / Lamborghini / Mitsubishi						
Compounds:	RSL 1	RSL 29	RST 1	RST 3	RS 14	RS 42
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 2959

Thickness: 17.3 mm

Information: BMW


Compounds: RSL 29


140 mm

59 mm

Pad Depth: 47 mm

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 3102			Thickness: 14.4 mm			
Information:	Alcon / Caterham / Citroen / Lucas-Girling / Toyota					
Compounds:	RST 4	RS 14	RS 42	RS 44	RSH 3	
	RST 5				RSH 29E	
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 3190		Thickness: 14.4 mm				
Information:	-					
Compounds:	RSH 29E	RSH 42				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 3242

Thickness: 15.5 mm

Information: -

Compounds: RSH 42

Technical drawing of a brake pad. The drawing shows a top-down view of the component. It has a central mounting tab with a circular hole and two horizontal slots. The main body is rectangular with rounded corners and a curved bottom edge. Dimension lines indicate a width of 77.9 mm and a height of 67 mm.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 3276

Thickness: 18 mm

Information: Peugeot / Renault

Compounds: RS 42

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 3277

Thickness: 24 mm

Information:

Alcon / AP Racing / Brembo / StopTech / Wilwood

Compounds:

RSL 1

RSL 29

Related Shape No. :	3278	3279	8033	-	-	-
Thickness (mm) :	30	28	17.5	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 3278

Thickness: 30 mm

Information: Alcon / AP Racing / Brembo / StopTech

Compounds:

RST 1

Related Shape No. :	3277	3279	8033	-	-	-
Thickness (mm) :	24	28	17.5	-	-	-

Shape No.: 3279

Thickness: 28 mm

Information:

Alcon / AP Racing / Brembo / StopTech

Compounds:

RSL 1

RST 1

RST 2

Related Shape No. :	3277	3278	8033	-	-	-
Thickness (mm) :	24	30	17.5	-	-	-

Shape No.: 3830USA

Thickness: 14.5 mm

Information: Mazda / Fiat

Compounds: on inquiry

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-



Shape No.: 4011

Thickness: 15.5 mm

Information: VW

Compounds: RSL 29

Technical drawing of a brake pad (Shape No. 4011) showing dimensions: 138 mm width, 51 mm height, and Pad Depth: 45 mm.

Technical drawing of a brake pad (Shape No. 4011) showing dimensions: 138 mm width, 49 mm height, and Pad Depth: 45 mm.

Related Shape No. :

-

-

-

-

-

-

-

Thickness (mm) :

-

-

-

-

-


-


-


Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 4122		Thickness: 14.7 mm				
Information:	Porsche					
Compounds:	RSH 29E	RSH 42				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4304		Thickness: 15 mm				
Information:	Brembo / Porsche / StopTech					
Compounds:	RS 14	RSH 3	RSH 29E	RSH 42		
						
Related Shape No. :	2723	-	-	-	-	-
Thickness (mm) :	18	-	-	-	-	-

Shape No.: 4345		Thickness: 16.7 mm				
Information:	Alcon / AP Racing / Lotus / McLaren / Renault					
Compounds:	RSL 1	RSL 2	RSL 29	RS 14		
	RST 1	RST 2	RST 3	RST 4		
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4346

Thickness: 16.7 mm

Information:

AP Racing / McLaren / Seat

Compounds:

RSL 1	RSL 2	RSL 29	RS 14	RSC 1
RST 1	RST 2	RST 3	RST 4	RSC 2
				RSC 3

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4349

Thickness: 16 mm


Information:

AP Racing / Caterham / Lotus

Compounds:

RSL 1	RSL 29	RS 14	RS 42	RSC 1
RST 1	RST 2	RST 3	RST 4	RSC 2


Related Shape No. :	8076	-	-	-	-	-
Thickness (mm) :	14.4	-	-	-	-	-


Shape No.: 4501		Thickness: 15 mm				
Information:	-					
Compounds:	RSH 3	RSH 29E	RSH 42			
						
Related Shape No. :	4503	-	-	-	-	-
Thickness (mm) :	19	-	-	-	-	-


Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.


More applications and compounds on inquiry


SHAPE LIST


Shape No.: 4503		Thickness: 19 mm				
Information: -						
Compounds: RSH 29E RSH 42						
						
Related Shape No. :	4501	-	-	-	-	-
Thickness (mm) :	15	-	-	-	-	-

Shape No.: 4507		Thickness: 16.5 mm				
Information: -						
Compounds: RSH 42						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4508		Thickness: 16 mm				
Information: -						
Compounds: RSH 3 RSH 29E						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4509		Thickness: 15.6 mm				
Information: -						
Compounds: RSH 3 RSH 42						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4580		Thickness: 15.25 mm				
Information: Ferrari						
Compounds: RSC 1						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4581		Thickness: 15 mm				
Information: Ferrari						
Compounds: RSC 1						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 4623

Thickness: 18.5 mm

Information: -

Compounds:

RSH 42

Technical drawing of Shape No. 4623. The drawing shows a rectangular pad with a width of 76.8 mm and a height of 59 mm. The pad has a central vertical groove and two side grooves. The pad depth is 46 mm.

Related Shape No. :	4634	-	-	-	-	-
Thickness (mm) :	15	-	-	-	-	-

Shape No.: 4634

Thickness: 15 mm


Information: -


Compounds:

RSH 42

Technical drawing of Shape No. 4634. The drawing shows a rectangular pad with a width of 76.8 mm and a height of 59 mm. The pad has a central vertical groove and two side grooves. The pad depth is 46 mm.

Related Shape No. :	4623	-	-	-	-	-
Thickness (mm) :	18.5	-	-	-	-	-

Shape No.: 4702		Thickness: 19 mm					
Information: -							
Compounds:		RSH 29E	RSH 42				
							
Related Shape No. :	4703	-	-	-	-	-	-
Thickness (mm) :	15	-	-	-	-	-	-

Shape No.: 4703		Thickness: 15 mm					
Information: -							
Compounds:		RSH 29E	RSH 42				
							
Related Shape No. :	4702	-	-	-	-	-	-
Thickness (mm) :	19	-	-	-	-	-	-

Shape No.: 4823

Thickness: 18 mm

Information: Ford

Compounds: RS 42

151.3 mm

Pad Depth: 39 mm

46 mm

Related Shape No. :

-

-

-

-

-

-

Thickness (mm) :

-


-

-

-

-


-


Shape No.: 4905		Thickness: 15.5 mm					
Information: -							
Compounds:		RSH 3		RSH 29E		RSH 42	
							
Related Shape No. :		-	-	-	-	-	-
Thickness (mm) :		-	-	-	-	-	-


Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.


More applications and compounds on inquiry


SHAPE LIST


Shape No.: 4906	Thickness: 16.3 mm					
Information:	Chevrolet / Ferrari / Lamborghini					
Compounds:	RSC 1	RSC 2	RSC 3			
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4907	Thickness: 16 mm					
Information:	Audi / Lamborghini					
Compounds:	RSL 29	RSC 1	RSC 2	RSC 3		
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4908	Thickness: 17.5 mm					
Information:	Porsche					
Compounds:	RSL 1	RSL 29	RST 1	RST 3	RSC 1	RSC 2
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4909	Thickness: 16 mm					
Information:	Porsche					
Compounds:	RSL 1	RSL 2	RSL 19	RSL 29	RST 1	RST 3
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4910	Thickness: 20 mm					
Information:	Audi / Bentley					
Compounds:	RSC 1					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4912	Thickness: 16 mm					
Information:	Alcon					
Compounds:	RST 1	RST 3				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 4913	Thickness: 17.9 mm					
Information:	Toyota					
Compounds:	RST 3					
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4916	Thickness: 15 mm					
Information:	Alcon					
Compounds:	RST 1 RST 3					
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4917	Thickness: 16 mm					
Information:	Porsche / VW					
Compounds:	RSL 1	RSL 29	RSC 1	RSC 2	RSC 3	
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4918	Thickness: 16.3 mm					
Information:	Porsche / VW					
Compounds:	RSL 1	RSL 19	RSL 29	RST 1	RST 3	
			RSC 1	RSC 2	RSC 3	
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 4920	Thickness: 22 mm					
Information:	Porsche					
Compounds:	RSL 1	RSL 19	RSL 29	RST 1	RST 3	
Related Shape No. :	4928	-	-	-	-	-
Thickness (mm) :	28	-	-	-	-	-


Shape No.: 4921	Thickness: 20 mm					
Information:	Porsche					
Compounds:	RSL 1	RSL 19	RSL 29	RST 1	RST 3	
Related Shape No. :	4929	-	-	-	-	-
Thickness (mm) :	26	-	-	-	-	-


Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.


More applications and compounds on inquiry


SHAPE LIST


Shape No.: 4922	Thickness: 17.3 mm					
Information:	Porsche					
Compounds:	RSL 1	RSL 29	RST 1	RST 3		
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4923	Thickness: 29 mm					
Information:	Ginetta / PFC					
Compounds:	RSL 1	RSL 2	RST 1	RST 2	RST 3	
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4924	Thickness: 16.6 mm					
Information:	Porsche					
Compounds:	RSL 1	RSL 29	RST 1	RST 3		
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4925	Thickness: 18 mm					
Information:	Porsche					
Compounds:	RSL 1	RSL 19	RSL 29	RST 1	RST 3	
			RSC 1	RSC 2	RSC 3	
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 4927	Thickness: 18.5 mm					
Information:	Porsche					
Compounds:	RSL 1	RSL 29	RST 1	RSC 1	RSC 2	
					RSC 3	
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4928	Thickness: 28 mm					
Information:	Porsche					
Compounds:	RSL 1	RSL 2	RSL 19	RSL 29	RST 1	
					RST 3	
						
Related Shape No. :	4920	-	-	-	-	-
Thickness (mm) :	22	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 4929		Thickness: 26 mm				
Information: Porsche						
Compounds:	RSL 1	RSL 2	RSL 19	RSL 29	RST 1	RST 3
						
Related Shape No. :	4921	-	-	-	-	-
Thickness (mm) :	20	-	-	-	-	-


Shape No.: 4930

Thickness: 19 mm

Information: Alpina

Compounds: on inquiry

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4931		Thickness: 17.5 mm				
Information: Alpina / BMW						
Compounds:		RSL 1		RSL 29		
						
Pad Depth: 70 mm						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4932

Thickness: 18 mm

Information:

Alpina / BMW

Compounds:

RSL 29

RSC 1


RSC 2

116 mm

73 mm

Pad Depth: 63 mm

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4933			Thickness: 16.5 mm			
Information: Alpina / BMW						
Compounds:		RSL 1	RSL 29			
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4934

Thickness: 19.5 mm

Information: BMW

Compounds:

RSL 29


RSC 1


Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.


More applications and compounds on inquiry


SHAPE LIST


Shape No.: 4935	Thickness: 19.4 mm					
Information:	BMW					
Compounds:	RSC 1 RSC 2					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4936	Thickness: 16.7 mm					
Information:	Audi / VW					
Compounds:	RS 44					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4937	Thickness: 17.6 mm					
Information:	Audi / Bentley / Lamborghini					
Compounds:	RSC 1 RSC 2					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4938	Thickness: 17 mm					
Information:	Audi / Bentley					
Compounds:	RSC 1 RSC 2					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4939	Thickness: 16.2 mm					
Information:	Opel					
Compounds:	RS 44					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4940	Thickness: 17.5 mm					
Information:	Fiat / Opel					
Compounds:	RST 3 RS 44					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 4941	Thickness: 16.2 mm					
Information: Aston Martin						
Compounds:	RSC 1	RSC 2				
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4943	Thickness: 16 mm					
Information: Aston Martin						
Compounds:	RSC 1	RSC 2				
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4945	Thickness: 18.9 mm					
Information: Nissan						
Compounds:	RSC 1					
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4946	Thickness: 17.9 mm					
Information: Nissan						
Compounds:	RSC 1					
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 8000	Thickness: 16 mm					
Information: Alcon / Brembo						
Compounds:	RSL 29	RST 2	RST 4	RS 42		
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 8001	Thickness: 20 mm					
Information: Audi / VW						
Compounds:	RSL 29	RST 3	RS 42			
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 8003		Thickness: 17.5 mm				
Information:		Porsche				
Compounds:	RSL 1	RSL 29	RST 1	RST 5	RS 14	
						
Related Shape No. :	8004	-	-	-	-	-
Thickness (mm) :	19.5	-	-	-	-	-

Shape No.: 8004		Thickness: 19.5 mm				
Information: Porsche						
Compounds:	RSL 1	RSL 2	RSL 19	RSL 29	RS 14	
			RST 1	RST 3	RST 5	
						
Related Shape No. :	8003	-	-	-	-	-
Thickness (mm) :	17.5	-	-	-	-	-

Shape No.: 8005

Thickness: 16.4 mm

Information:

Brembo / Ford / Lexus / Maserati / Mercedes


Compounds:


RSL 1

RSL 19

RS 14

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8006		Thickness: 19 mm				
Information: Porsche						
Compounds:	RSL 1	RSL 2	RSL 19	RSL 29	RS 14	
	RST 1	RST 2	RST 3	RST 4	RST 5	
				RSC 1	RSC 3	
						
Related Shape No. :	8008	-	-	-	-	-
Thickness (mm) :	17	-	-	-	-	-

Shape No.: 8007			Thickness: 16 mm			
Information: Alcon						
Compounds:		RSL 29				
						
Related Shape No. :		-	-	-	-	-
Thickness (mm) :		-	-	-	-	-

Shape No.: 8008

Thickness: 17 mm

Information: Porsche

Compounds:

RSL 1

RSL 29

RST 3

RST 4

RSC 1

Related Shape No. :	8006	-	-	-	-	-
Thickness (mm) :	19	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry


Shape No.: 8009


Thickness: 15.5 mm


Information: Alcon / Porsche

Compounds: RS 42


Related Shape No. :	1203	1916	-	-	-	-
Thickness (mm) :	17.5	24	-	-	-	-

Shape No.: 8010		Thickness: 17 mm				
Information: Honda (Acura)						
Compounds:		RSL 29				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8011			Thickness: 18 mm			
Information: Alcon						
Compounds:		RSL 29	RST 1	RSC 1		
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8018			Thickness: 17 mm			
Information: Alcon / AP Racing						
Compounds:		RSL 29	RST 1	RST 2	RST 3	RST 4
						
Related Shape No. :	1538	1903	8192	-	-	-
Thickness (mm) :	25	18	28.5	-	-	-


Shape No.: 8019			Thickness: 20 mm			
Information: BMW / Jaguar						
Compounds:		RSL 19				
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8021			Thickness: 16.2 mm			
Information: BMW						
Compounds:	RSL 1	RSL 19	RST 1	RST 4	RS 44	
				RSC 1	RSC 2	
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 8023			Thickness: 15.5 mm			
Information:	Alfa Romeo / Brembo / Chevrolet / Mazda / Opel Renault					
Compounds:	RSL 1	RSL 2	RSL 29			
	RST 1	RST 2	RST 3	RST 4	RST 5	
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8027

Thickness: 17.4 mm


Information:

Mercedes

Compounds:

RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 8028		Thickness: 16 mm				
Information:	Alcon					
Compounds:	RSL 19	RSL 29	RST 1	RST 3		
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8029


Thickness: 16.5 mm

Information: Toyota

Compounds: RSL 29



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8030		Thickness: 17 mm				
Information:	Brembo / Mitsubishi					
Compounds:	RST 1	RST 2	RST 3	RST 4	RST 5	
						
Related Shape No. :	1616	1618	1619	1896	-	-
Thickness (mm) :	16	28	26	20	-	-

Shape No.: 8031

Thickness: 16 mm

Information: Mercedes

Compounds: RSL 19

111.6 mm

64 mm


Pad Depth: 47 mm


Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 8032			Thickness: 17.5 mm			
Information: -						
Compounds: <div>RSH 3</div> <div>RSH 29E</div> <div>RSH 42</div>						
						
Related Shape No. : <div>-</div> <div>-</div> <div>-</div> <div>-</div> <div>-</div> <div>-</div>						
Thickness (mm) : <div>-</div> <div>-</div> <div>-</div> <div>-</div> <div>-</div> <div>-</div>						

Shape No.: 8033			Thickness: 17.5 mm			
Information: Alcon / AP Racing / Brembo / Mitsubishi / StopTech						
Compounds:	RSL 1	RST 1	RST 2	RST 3	RST 4	
					RST 5	
						
Related Shape No. :	3277	3278	3279	-	-	-
Thickness (mm) :	24	30	28	-	-	-

Shape No.: 8034

Thickness: 15.5 mm

Information: PFC Formula 3

Compounds: on inquiry

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-



Shape No.: 8035

Thickness: 16.5 mm


Information: BMW


Compounds:

RSL 1

RSL 29

RS 44







Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 8037			Thickness: 22 mm			
Information: Alcon / Brembo / Porsche						
Compounds:	RSL 1	RSL 2	RSL 19	RSL 29		
		RST 1	RST 2	RST 4		
						
Related Shape No. :	1595	1607	1674	2704	8191	-
Thickness (mm) :	16	20	25	26.5	29	-

Shape No.: 8038			Thickness: 22 mm			
Information: Brembo / Porsche						
Compounds:	RSL 1	RSL 2	RSL 19	RSL 29	RS 14	
			RST 1	RST 2	RST 3	
						
Related Shape No. :	2488	2687	8087	8173	-	-
Thickness (mm) :	29	20	25	31	-	-

Shape No.: 8039

Thickness: 16.8 mm


Information: Audi / Bentley

Compounds:

RSL 19

RSC 1

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8040			Thickness: 16 mm			
Information: -						
Compounds:		RSH 3	RSH 29E	RSH 42		
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8041

Thickness: 15.5 mm

Information: -

Compounds:

RSH 29E


RSH 42

80.8 mm

66 mm

Pad Depth: 45 mm

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8042		Thickness: 16 mm				
Information: -						
Compounds:		RSH 3	RSH 29E	RSH 42		
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 8043	Thickness: 18 mm					
Information:	Alcon					
Compounds:	RSL 29					
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8044	Thickness: 18 mm					
Information:	AP Racing / Brembo					
Compounds:	RSL 1	RST 1	RST 2	RST 3	RST 4	RST 5
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8045	Thickness: 25 mm					
Information:	Alcon					
Compounds:	on inquiry					
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8046	Thickness: 17.2 mm					
Information:	Audi / VW					
Compounds:	RSL 19	RS 44				
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 8049	Thickness: 16 mm					
Information:	Brembo					
Compounds:	RSL 1	RSL 19	RSL 29	RST 2	RST 3	RST 4
Related Shape No. :	8217	-	-	-	-	-
Thickness (mm) :	17	-	-	-	-	-


Shape No.: 8050	Thickness: 15 mm					
Information:	Alcon					
Compounds:	RSL 29	RST 1				
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.


More applications and compounds on inquiry


SHAPE LIST


Shape No.: 8051	Thickness: 17.3 mm					
Information:	BMW					
Compounds:	RSL 1	RSL 19				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8053	Thickness: 20.3 mm					
Information:	BMW					
Compounds:	RSL 1	RSL 19	RST 1	RST 2	RST 3	RSC 1
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8055	Thickness: 17.5 mm					
Information:	-					
Compounds:	RSH 42					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8056	Thickness: 17 mm					
Information:	-					
Compounds:	RSH 3	RSH 29E				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 8057	Thickness: 14 mm					
Information:	-					
Compounds:	RSH 3	RSH 29E				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 8058	Thickness: 22 mm					
Information:	Set of 8 pcs					
Compounds:	RSH 3	RSH 42				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.


SHAPE LIST

More applications and compounds on inquiry

Shape No.: 8059			Thickness: 25 mm			
Information: -						
Compounds: RSH 3 RSH 29E						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8060		Thickness: 16 mm				
Information: AP Racing						
Compounds:		RST 1	RST 2	RST 3	RST 4	RS 42
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8061			Thickness: 16.8 mm			
Information: Brembo						
Compounds: RSL 29						
						
Related Shape No. :			-	-	-	-
Thickness (mm) :			-	-	-	-

Shape No.: 8062			Thickness: 16.8 mm			
Information: Brembo						
Compounds:		RSL 1	RSL 29			
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8064

Thickness: 19.5 mm

Information:

Audi / Mazda / Seat / Skoda / VW

Compounds:

RSL 19

RST 2

RST 3

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 8067

Thickness: 15 mm

Information: -

Compounds: RSH 42

Technical drawing of a rectangular pad with a central vertical slot. The overall width is 85.2 mm and the overall height is 57 mm. The central slot is labeled "Pad Depth: 43 mm".

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8068

Thickness: 15 mm

Information: -

Compounds: RSH 29E

Technical drawing of Shape No. 8068. The drawing shows a rectangular pad with a central vertical slot. The overall width is 83.9 mm and the overall height is 55 mm. The pad has rounded corners and a central vertical slot. There are two small circular features on the top edge, one on each side of the central slot.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8069

Thickness: 17 mm

Information: Brembo / Mitsubishi / VW

Compounds:

RSL 19

RS 42

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8070

Thickness: 17 mm

Information:

Comes w.o. back plate slot

Compounds:

RSH 29E

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8071

Thickness: 17 mm

Information:


Comes w.o. back plate slot

Compounds:

RSH 29E

Technical drawing of a rectangular component. The width is indicated as 58.8 mm and the height as 60.5 mm. The drawing shows a double-line border, suggesting a specific profile or thickness.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8074				Thickness: 18.5 mm			
Information: Porsche							
Compounds:		RSL 1	RSL 2	RSL 29			
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 8076

Thickness: 14.4 mm

Information:

AP Racing

Compounds:

RSL 29

RST 1

RS 14

Related Shape No. :	4349	-	-	-	-	-
Thickness (mm) :	16	-	-	-	-	-

Shape No.: 8077

Thickness: 13.1 mm


Information: Mazda


Compounds:


RSL 29


RS 44

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8078		Thickness: 16 mm				
Information:	Caparo AP					
Compounds:	<div><div>RST 4</div><div>RS 42</div></div>					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8081		Thickness: 17 mm				
Information:	Aston Martin / Audi / Brembo / Cadillac / Chevrolet Mercedes / Nissan					
Compounds:	RSL 1	RSL 29	RSC 1	RSC 2	RSC 3	RS 14
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 8082		Thickness: 15 mm				
Information:	Mazda					
Compounds:	RSL 1	RSL 29	RST 3			
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 8083		Thickness: 17 mm				
Information:	Brembo / Ferrari					
Compounds:	RSL 1	RSL 29	RSC 1	RSC 2	RSC 3	
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.


More applications and compounds on inquiry


SHAPE LIST


Shape No.: 8084	Thickness: 16.7 mm					
Information: BMW						
Compounds:	RSL 1	RSL 29				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8085	Thickness: 17 mm					
Information: BMW						
Compounds:	RSL 1	RSL 29				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8086	Thickness: 18 mm					
Information: -						
Compounds:	RSH 3	RSH 29E				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8087	Thickness: 25 mm					
Information: Aston Martin / Audi / Brembo / Chevrolet Lamborghini / Ligier						
Compounds:	RSL 1	RSL 2	RSL 29	RS 14		
	RST 1	RST 2	RST 3	RST 5		
						
Related Shape No. :	2488	2687	8038	8173	-	-
Thickness (mm) :	29	20	22	31	-	-

Shape No.: 8088	Thickness: 18 mm					
Information: Mercedes						
Compounds:	RSL 29	RSC 1	RSC 2	RSC 3		
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8089	Thickness: 15.7 mm					
Information: Mercedes						
Compounds:	RSL 29	RSC 1	RSC 2	RSC 3		
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 8090		Thickness: 22 mm				
Information: Alcon / AP Racing / Brembo						
Compounds: RST 2						
Related Shape No. :	1842	1908	-	-	-	-
Thickness (mm) :	18	24	-	-	-	-

Shape No.: 8091		Thickness: 16 mm				
Information: Brembo / Chevrolet / Ferrari / McLaren						
Compounds: RSL 19 RSC 1 RSC 2 RSC 3						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8092		Thickness: 29 mm				
Information: Alpina / PFC						
Compounds: RSL 1 RSL 2 RST 2 RST 3						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8093		Thickness: 28.5 mm				
Information: Alpina / Ginetta / PFC						
Compounds: RSL 1 RSL 2 RST 1 RST 2 RST 3 RST 4						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8094		Thickness: 19 mm				
Information: Mercedes						
Compounds: on inquiry						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8096		Thickness: 18.5 mm				
Information: Audi / Ford						
Compounds: RSL 1 RSL 19						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 8100

Thickness: 29 mm

Information:

Alcon / Audi / Brembo / Ferrari

Compounds:

RSL 1

RSL 2

RSL 19

RSL 29

RST 1

RST 2

Related Shape No. :	8101	8102	8103	8194	-	-
Thickness (mm) :	25	21	31	26	-	-

Shape No.: 8101

Thickness: 25 mm

Information:

Brembo / Ferrari / Lamborghini / Mercedes

Compounds:

RSL 1

RSL 2

RSL 19

RSL 29

RST 1

RST 2


RST 3


163.6 mm


77 mm

Pad Depth: 64 mm

Related Shape No. :	8100	8102	8103	8194	-	-
Thickness (mm) :	29	21	31	26	-	-

Shape No.: 8102		Thickness: 21 mm				
Information: Brembo						
Compounds: RSL 1						
						
Related Shape No. :	8100	8101	8103	8194	-	-
Thickness (mm) :	29	25	31	26	-	-

Shape No.: 8103				Thickness: 31 mm		
Information: Brembo						
Compounds: RSL 1 RSL 2 RSL 29 RST 3						
<div></div>						
Related Shape No. :	8100	8101	8102	8194	-	-
Thickness (mm) :	29	25	21	26	-	-

Shape No.: 8113			Thickness: 17 mm			
Information: Ford Mustang rear						
Compounds:		RSL 29	RST 4			
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8127

Thickness: 14 mm

Information: Mazda Miata front

Compounds:

RSL 29

RST 3

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 8129	Thickness: 12.5 mm					
Information: Mazda Miata rear						
Compounds: RSL 29 RST 4						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8173	Thickness: 31 mm					
Information: Brembo						
Compounds: RSL 1 RSL 2 RSL 29						
Related Shape No. :	2488	2687	8038	8087	-	-
Thickness (mm) :	29	20	22	25	-	-

Shape No.: 8174	Thickness: 17 mm					
Information: Subaru / Toyota						
Compounds: RSL 1						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8175	Thickness: 16 mm					
Information: Toyota						
Compounds: RSL 1						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 8185	Thickness: 15.2 mm					
Information: Opel						
Compounds: RSL 1 RSL 19						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8187	Thickness: 16.8 mm					
Information: McLaren						
Compounds: RSC 1 RSC 2 RSC 3						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 8188		Thickness: 16.5 mm						
Information:		Mercedes						
Compounds:		RSL 1	RSL 29	RS 14				
								
Related Shape No. :		-	-	-	-	-	-	-
Thickness (mm) :		-	-	-	-	-	-	-

Shape No.: 8189

Thickness: 18.8 mm

Information: Mercedes

Compounds: RSL 29

The image shows a technical drawing of a brake pad. It is a symmetrical, somewhat rectangular component with rounded corners and a central notch. The overall width is indicated by a dimension line at the top as 116 mm. The overall height is indicated by a dimension line on the right as 60 mm. The drawing is a simple black outline on a white background.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8191

Thickness: 29 mm

Information: Brembo

Compounds: **RSL 1** **RSL 2**

132 mm

62 mm

Pad Depth: 49 mm

Related Shape No. :	1595	1607	1674	2704	8037	-
Thickness (mm) :	16	20	25	26.5	22	-

Shape No.: 8192

Thickness: 28.5 mm

Information: AP Racing

Compounds: **RSL 1**

152 mm

with or without lug

Pad Depth: 51 mm

63 mm

Related Shape No. :

1538

1903

8018

-

-

-

Thickness (mm) :

25

18

17

-

-

-


Shape No.: 8193

Thickness: 22 mm

Information: AP Racing / Brembo

Compounds: on inquiry

Related Shape No. :	1283	1705	-	-	-	-
Thickness (mm) :	20	16	-	-	-	-

Shape No.: 8194				Thickness: 26 mm			
Information: Brembo							
Compounds:		RSL 1		RSL 2			
							
Related Shape No. :	8100	8101	8102	8103	-	-	-
Thickness (mm) :	29	25	21	31	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 8195

Thickness: 17 mm

Information:

Wilwood

Compounds:

RSL 29

Related Shape No. :	2205	-	-	-	-	-
Thickness (mm) :	20	-	-	-	-	-

Shape No.: 8197

Thickness: 27 mm

Information:

BMW / PFC

Compounds:

RSL 1

RSL 2

RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8200

Thickness: 18.2 mm

Information: Alpina

Compounds:

RSL 29

RSC 1

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8201

Thickness: 19.5 mm

Information:

Audi / VW

Compounds:

RSL 2

RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8203

Thickness: 15.5 mm


Information:

2015 Mustang Performance Package

Compounds:

RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8204		Thickness: 17.5 mm					
Information:		2015 Mustang rear					
Compounds:		RSL 29					
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 8208

Thickness: 16 mm

Information:

Corvette & Mustang rear

Compounds:

RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8212

Thickness: 19 mm

Information:

Citroen

Compounds:

RST 1

RST 2

RST 3

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8214

Thickness: 16.7 mm

Information:

AP Racing / Lotus

Compounds:

RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 8216

Thickness: 18 mm

Information: AP Racing

Compounds: RSL 2

Related Shape No. :	2126	-	-	-	-	-
Thickness (mm) :	17	-	-	-	-	-

Shape No.: 8217		Thickness: 17 mm				
Information:		Brembo				
Compounds:		RSL 2				
						
Related Shape No. :	8049	-	-	-	-	-
Thickness (mm) :	16	-	-	-	-	-

Shape No.: 8222

Thickness: 25 mm

Information: AP Racing / KTM

Compounds:

RSL 1

RSL 2

RST 1

RST 3

Technical drawing of a brake pad (Shape No. 8222) showing dimensions and mounting options. The drawing includes the following dimensions and features:

- Overall width: 163 mm
- Overall height: 68.6 mm
- Pad Depth: 53 mm
- Mounting options: "with or without lug" (indicated by a small circle at the top center)
- Two mounting holes (indicated by small circles on the sides)

Related Shape No. : 2557

-

-

-

-

-

Thickness (mm) : 29

-

-

-

-

-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 8233	Thickness: 25 mm					
Information:	AP					
Compounds:	RSL 2	RST 3				
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8234	Thickness: 15 mm					
Information:	Mitsubishi					
Compounds:	on inquiry					
Related Shape No. :	1538	1903	8018	8192	-	-
Thickness (mm) :	25	18	17	28.5	-	-

Shape No.: 8235	Thickness: 16.6 mm					
Information:	Porsche					
Compounds:	RSL 1	RSL 2				
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8236	Thickness: 18.5 mm					
Information:	Porsche					
Compounds:	on inquiry					
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 8237	Thickness: 17 mm					
Information:	AP Racing					
Compounds:	RSL 1	RST 3				
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8238	Thickness: 16.9 mm					
Information:	Front axle AMG GT / GTS					
Compounds:	RSL 1	RSL 29				
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 8239		Thickness: 17 mm				
Information:	Ford front					
Compounds:	RSL 29		RST 3			
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8240front

Thickness: 14.5 mm

Information:


Corvette C6 Z06 / Corvette C6 Grand Sport front multi pad system 12pcs


Compounds:


RSL 29

RST 2

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8240rear			Thickness: 14.5 mm		
Information:	Corvette C6 Z06 / Corvette C6 Grand Sport rear multi pad system 8pcs				
Compounds:	RSL 29	RST 2			
					
Pad Depth: 47 mm 8 Pcs					
Related Shape No. :	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-

Shape No.: 8241			Thickness: 30 mm			
Information:	Porsche					
Compounds:	RSL 1	RSL 2	RST 1	RST 2	RST 3	RST 5
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8242		Thickness: 31.2 mm				
Information:	Porsche					
Compounds:	RSL 19	RSL 29	RST 4			
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8245

Thickness: 25 mm

Information: AP Racing

Compounds: **RSL 1** **RSL 2**

Technical drawing of a brake pad (Shape No. 8245) showing dimensions:

- Width: 152 mm
- Height: 68.4 mm
- Pad Depth: 54 mm

The drawing shows a cross-section of the brake pad with a central raised area and three mounting holes (two on the sides and one in the center top).

Related Shape No. :	-	-	-	-	-	-
---------------------	---	---	---	---	---	---

Thickness (mm) :	-	-	-	-	-	-
------------------	---	---	---	---	---	---

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 8246 / 8247

Thickness: 18.8 mm

Information:

Rear axle AMG GT / GTS / GTR, set includes 2x 8246 / 2x 8247

Compounds:

RSL 29

RSC 1

146.4 mm

67.8 mm

Shape: 8246

146.4 mm

57.9 mm

Shape: 8247

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8250

Thickness: 28.5 mm

Information: Alcon, AP Racing


Compounds: **RSL 1**

Technical drawing of a brake pad (Shape No. 8250) showing dimensions and features:

- Overall width: 152 mm
- Overall height: 63 mm
- Pad Depth: 54 mm
- Mounting hole: with or without lug

Related Shape No. :	1539	1904	-	-	-	-
---------------------	------	------	---	---	---	---

Thickness (mm) :	25	18	-	-	-	-
------------------	----	----	---	---	---	---

Shape No.: 8251			Thickness: 18 mm			
Information: PFC						
Compounds:		RSL 1	RSL 2	RSL 29	RST 1	RST 3
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8253

Thickness: 16 mm

Information: Dodge Viper

Compounds: RSC 1

189.6 mm

Pad Depth: 81 mm

97.2 mm

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8257

Thickness: 16 mm

Information: AMG GTS (disc 360 mm) Akebono Caliper

Compounds: RSL 29

206 mm

87 mm

Pad Depth: 68 mm

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 8258

Thickness: 16 mm

Information: AP Racing

Compounds:

RSL 1

RST 3

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 9521

Thickness: 15.4 mm

Information: -

Compounds:

RSH 42

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-





RACING BRAKE PADS / COMPOUND GUIDE

Our PAGID Racing Brake Pad Shapes are available in following compounds.

Shape No.	Compounds RSL				Compounds RST					Compounds RS			Compounds RSC			Compounds RSH		
	RSL 1	RSL 2	RSL 19	RSL 29	RST 1	RST 2	RST 3	RST 4	RST 5	RS 14	RS 42	RS 44	RSC 1	RSC 2	RSC 3	RSH 3	RSH 29E	RSH 42
1141			•															
1144				•							•							
1146																	•	
1151																		•
1158			•	•						•	•	•						
1163										•	•							
1177																		•
1190																	•	
1191																•	•	•
1192																•	•	•
1193																	•	
1195																•	•	
1203			•	•			•	•		•	•	•						
1204			•	•			•	•		•	•	•	•					
1265				•	•	•			•							•		•
1267			•															
1269				•	•	•		•								•		•
1270	•			•	•	•	•	•	•		•							
1276				•							•							
1283					•	•	•	•	•		•	•						
1285	•			•				•		•	•	•						
1287	•			•	•	•	•	•		•	•	•	•		•			
1288											•							
1291																	•	•
1295	•	•		•	•	•	•			•	•	•						
1323																		•
1361	•			•	•	•	•	•	•	•						•		•
1362																•		•
1363		•		•		•		•		•	•	•						•
1406	•			•			•			•	•							
1408	•			•	•	•	•	•		•	•	•	•					
1427	•	•		•			•				•	•						
1538			•	•	•		•			•	•			•				
1539	•	•		•	•	•	•	•	•		•							
1544				•								•						
1580											•							
1587			•	•			•	•		•	•	•						

RACING BRAKE PADS / COMPOUND GUIDE

Our PAGID Racing Brake Pad Shapes are available in following compounds.

Shape No.	Compounds RSL				Compounds RST					Compounds RS			Compounds RSC			Compounds RSH		
	RSL 1	RSL 2	RSL 19	RSL 29	RST 1	RST 2	RST 3	RST 4	RST 5	RS 14	RS 42	RS 44	RSC 1	RSC 2	RSC 3	RSH 3	RSH 29E	RSH 42
1591											•							
1594USA*																		
1595USA*																		
1595	•		•	•	•	•	•	•	•	•	•	•						
1607	•			•	•	•	•	•	•	•	•							
1610											•							
1616					•	•	•		•									
1617					•		•		•									
1618	•			•														
1619	•				•	•	•	•			•							
1620							•				•							
1674	•	•	•	•	•	•	•	•				•						
1678											•							
1682							•			•	•							
1702				•			•			•	•	•						
1703																		•
1705				•	•	•	•	•	•	•	•							
1712USA*																		
1743										•	•							
1744																	•	•
1749		•		•	•	•		•	•	•						•		•
1756				•														
1796				•							•							
1798USA*																		
1809USA*																		
1813	•							•		•								
1842	•		•	•			•			•	•	•						
1852	•		•	•			•				•							
1896	•			•	•	•	•	•	•	•								
1897											•							
1903	•	•		•	•	•	•	•		•	•		•					
1904	•		•	•	•		•		•									
1908	•			•	•	•	•			•	•							
1916																	•	•
2016	•	•		•	•													
2017	•	•		•	•		•											
2019	•	•			•													

* on inquiry

RACING BRAKE PADS / COMPOUND GUIDE

Our PAGID Racing Brake Pad Shapes are available in following compounds.

Shape No.	Compounds RSL				Compounds RST					Compounds RS			Compounds RSC			Compounds RSH		
	RSL 1	RSL 2	RSL 19	RSL 29	RST 1	RST 2	RST 3	RST 4	RST 5	RS 14	RS 42	RS 44	RSC 1	RSC 2	RSC 3	RSH 3	RSH 29E	RSH 42
2053				•						•	•							
2105*																		
2126	•			•	•		•		•		•							
2127	•			•			•	•	•	•	•							
2180				•	•		•											
2205					•													
2206				•	•		•	•										
2213				•														
2275				•														
2388*																		
2405	•	•	•	•			•	•		•	•	•	•		•			
2406	•		•	•			•			•	•	•						
2407				•			•			•	•	•						
2445											•							
2474			•	•			•			•	•	•						
2487	•		•	•	•	•	•			•	•		•					
2488	•	•	•	•	•	•	•	•		•								
2555	•			•	•	•	•	•		•								
2557	•	•	•	•	•	•	•	•										
2558	•																	
2559	•	•																
2560	•	•			•				•									
2564	•	•			•													
2581USA*																		
2593										•								
2623				•							•							
2683				•														
2685	•			•	•	•	•	•										
2687				•														
2688	•		•	•	•		•											
2704	•	•	•	•														
2707			•	•						•		•	•		•			
2723																•		
2743				•									•					
2830				•								•						
2845				•														
2905USA*																		

RACING BRAKE PADS / COMPOUND GUIDE

Our PAGID Racing Brake Pad Shapes are available in following compounds.

Shape No.	Compounds RSL				Compounds RST					Compounds RS			Compounds RSC			Compounds RSH		
	RSL 1	RSL 2	RSL 19	RSL 29	RST 1	RST 2	RST 3	RST 4	RST 5	RS 14	RS 42	RS 44	RSC 1	RSC 2	RSC 3	RSH 3	RSH 29E	RSH 42
2931	•			•	•		•			•	•							
2959				•														
3102								•	•	•	•	•				•	•	
3190																	•	•
3242																		•
3276											•							
3277	•			•														
3278					•													
3279	•				•	•												
3830USA*																		
4011				•														
4122																	•	•
4304										•						•	•	•
4345	•	•		•	•	•	•	•		•								
4346	•	•		•	•	•	•	•		•			•	•	•			
4349	•			•	•	•	•	•		•	•		•	•				
4501																•	•	•
4503																	•	•
4507																		•
4508																•	•	
4509																•		•
4580													•					
4581													•					
4623																		•
4634																		•
4702																	•	•
4703																	•	•
4823											•							
4905																•	•	•
4906													•	•	•			
4907				•									•	•	•			
4908	•			•	•		•						•	•	•			
4909	•	•	•	•	•		•						•	•	•			
4910													•					
4912					•		•											
4913							•											
4916					•		•											

* on inquiry

RACING BRAKE PADS / COMPOUND GUIDE

Our PAGID Racing Brake Pad Shapes are available in following compounds.

Shape No.	Compounds RSL				Compounds RST					Compounds RS			Compounds RSC			Compounds RSH		
	RSL 1	RSL 2	RSL 19	RSL 29	RST 1	RST 2	RST 3	RST 4	RST 5	RS 14	RS 42	RS 44	RSC 1	RSC 2	RSC 3	RSH 3	RSH 29E	RSH 42
4917	•			•									•	•	•			
4918	•		•	•	•		•						•	•	•			
4920	•		•	•	•		•											
4921	•		•	•	•		•											
4922	•			•	•		•											
4923	•	•			•	•	•											
4924	•			•	•		•											
4925	•		•	•	•		•						•	•	•			
4927	•			•	•								•	•	•			
4928	•	•	•	•	•		•											
4929	•	•	•	•	•		•											
4930*																		
4931	•			•														
4932				•									•	•				
4933	•			•														
4934				•									•					
4935													•	•				
4936												•						
4937													•	•				
4938													•	•				
4939												•						
4940							•					•						
4941													•	•				
4943													•	•				
4945													•					
4946													•					
8000				•		•		•			•							
8001				•			•				•							
8003	•			•	•				•	•								
8004	•	•	•	•	•		•		•	•								
8005	•		•							•								
8006	•	•	•	•	•	•	•	•	•	•			•		•			
8007				•														
8008	•			•			•	•					•					
8009											•							
8010				•														
8011				•	•								•					

RACING BRAKE PADS / COMPOUND GUIDE

Our PAGID Racing Brake Pad Shapes are available in following compounds.

Shape No.	Compounds RSL				Compounds RST					Compounds RS			Compounds RSC			Compounds RSH		
	RSL 1	RSL 2	RSL 19	RSL 29	RST 1	RST 2	RST 3	RST 4	RST 5	RS 14	RS 42	RS 44	RSC 1	RSC 2	RSC 3	RSH 3	RSH 29E	RSH 42
8018				•	•	•	•	•										
8019			•															
8021	•		•		•			•				•	•	•				
8023	•	•		•	•	•	•	•	•									
8027				•														
8028			•	•	•		•											
8029				•														
8030					•	•	•	•	•									
8031			•															
8032																•	•	•
8033	•				•	•	•	•	•									
8034*																		
8035	•			•								•						
8037	•	•	•	•	•	•		•										
8038	•	•	•	•	•	•	•			•								
8039			•										•					
8040																•	•	•
8041																	•	•
8042																•	•	•
8043				•														
8044	•				•	•	•	•	•									
8045*																		
8046			•									•						
8049	•		•	•		•	•	•	•									
8050				•	•													
8051	•		•															
8053	•		•		•	•	•						•					
8055																		•
8056																•	•	
8057																•	•	
8058																•		•
8059																•	•	
8060					•	•	•	•			•							
8061				•														
8062	•			•														
8064			•			•	•											
8067																		•

* on inquiry

RACING BRAKE PADS / COMPOUND GUIDE

Our PAGID Racing Brake Pad Shapes are available in following compounds.

Shape No.	Compounds RSL				Compounds RST					Compounds RS			Compounds RSC			Compounds RSH		
	RSL 1	RSL 2	RSL 19	RSL 29	RST 1	RST 2	RST 3	RST 4	RST 5	RS 14	RS 42	RS 44	RSC 1	RSC 2	RSC 3	RSH 3	RSH 29E	RSH 42
8068																	•	
8069			•								•							
8070																	•	
8071																	•	
8074	•	•		•														
8076				•	•					•								
8077				•								•						
8078								•			•							
8081	•			•						•			•	•	•			
8082	•			•			•											
8083	•			•									•	•	•			
8084	•			•														
8085	•			•														
8086																•	•	
8087	•	•		•	•	•	•		•	•								
8088				•									•	•	•			
8089				•									•	•	•			
8090						•												
8091			•										•	•	•			
8092	•	•				•	•											
8093	•	•			•	•	•	•										
8094*																		
8096	•		•															
8100	•	•	•	•	•	•												
8101	•	•	•	•	•	•	•											
8102	•																	
8103	•	•		•			•											
8113				•				•										
8127				•			•											
8129				•				•										
8173	•	•		•														
8174	•																	
8175	•																	
8185	•		•															
8187													•	•	•			
8188	•			•						•								
8189				•														

RACING BRAKE PADS / COMPOUND GUIDE

Our PAGID Racing Brake Pad Shapes are available in following compounds.

Shape No.	Compounds RSL				Compounds RST					Compounds RS			Compounds RSC			Compounds RSH		
	RSL 1	RSL 2	RSL 19	RSL 29	RST 1	RST 2	RST 3	RST 4	RST 5	RS 14	RS 42	RS 44	RSC 1	RSC 2	RSC 3	RSH 3	RSH 29E	RSH 42
8191	•	•																
8192	•																	
8193*																		
8194	•	•																
8195				•														
8197	•	•		•														
8200				•									•					
8201		•		•														
8203				•														
8204				•														
8208				•														
8212					•	•	•											
8214				•														
8216		•																
8217		•																
8222	•	•			•		•											
8233		•					•											
8234*																		
8235	•	•																
8236*																		
8237	•						•											
8238	•			•														
8239				•			•											
8240front				•		•												
8240rear				•		•												
8241	•	•			•	•	•		•									
8242			•	•				•										
8245	•	•																
8246/8247				•									•					
8250	•																	
8251	•	•		•	•		•											
8253													•					
8257				•														
8258	•						•											
9521																		•

* on inquiry



Technical Information

PAGID RACING FRICTION COMPOUNDS

ENDURANCE
RACING BRAKE PADS



PAGID RSL

RALLY, SPRINT AND STOCK CAR
RACING BRAKE PADS



PAGID RST

ALLROUND
RACING BRAKE PADS



PAGID RS

RACING BRAKE PADS FOR
CERAMIC COMPOSITE DISCS



PAGID RSC

RACING BRAKE PADS FOR
HISTORIC CARS




PAGID RSH

PAGID Racing compounds have a very high content of non-ferrous (ceramic) materials. The difference to competitor's metallic compounds is the superior thermal insulation and higher heat resistance combined with low heat conductivity, reducing heat transfer to the caliper (up to a massive 60 °C) preventing boiling of the fluid.

All PAGID Racing compounds are designed to minimize wear of the pad-rotor system, while maintaining optimum bite, brake modulation and pedal feel. All friction compounds meet or surpass all current ecological standards of the automotive industry.

PAGID RACING STEEL BACKING PLATE DESIGN

PAGID Racing employs dual retention systems, with an adhesive bond and a patented mechanical system. The mechanical system consists of brass studs that are welded directly to the backplate to ensure a positive retention between pad compound and the backplate. These brass studs are softer than the brake disc (rotor) and wear away as the pad is consumed causing no damage to the disc.




PAGID RACING RACE PAD FITTING INSTRUCTIONS

New brake pads **MUST** move freely in the caliper guides. Poor release and increased pad wear can occur with insufficient clearance. Always use the appropriate pad shape to ensure proper fit. When new pads are installed, **ALWAYS** ensure that the pedal is pumped up to take up any caliper piston travel prior to driving the vehicle. Never place hot friction surfaces in contact with the ground to prevent contamination of pad or discs.

BRAKE DISCS (ROTORS)

PAGID Racing brake pads can be used on solid, grooved or cross-drilled discs. If possible, pads should be bedded on discs which were used previously with the same friction material. However, disc friction faces should be flat and in good conditions. If bedding new pads on new discs, focus on disc bedding first. For disc bedding please refer to the disc manufacturers own instructions. Disc life is improved by allowing the disc to cool to ambient temperature post-bedding.



BEDDING

WHY BEDDING?

To align the pad surface with the brake disc (rotor) surface and ensure full contact.

To transfer a layer of friction material onto the brake disc (rotor) faces to achieve maximum performance.

To burn out the volatile elements in the friction compound in order to have the initial (green) fade occur during bedding and not during the race.

If pads are not bedded properly according to the above mentioned sequence, the brake system will not achieve its maximum friction performance, wear behavior and pedal feel. Improper bedding can also lead to judder and vibration. Unlike discs, pads do not require cooling down post-bedding for optimal performance/longevity.

RECOMMENDED ON-VEHICLE BEDDING IN PROCEDURE

1 **Breaking-in**

Creating a perfect contact-pattern between rotor and brake pad surface

10 stops with low pressure and low temperature from 150 km/h (90 MPH) to approximately 80 km/h (50 MPH).

Distance between each brake stop approximately 600 – 800 meters (600 to 800 yards).

2 **Heating-up**

Warm up in order to initiate some core heat in the whole brake system

A sequence of 5 stops with medium to high pressure from 180 km/h (112 MPH) to approximately 60 km/h (37 MPH) with maximum acceleration between the stops.

After the last stop cool down for 3 minutes with the speed preferably not higher than 100 km/h (62 MPH).

3 **Recovery Stops**

3 to 5 stops with low pressure from 150 km/h (90 MPH) to approximately 80 km/h (50 MPH).

Distance between each brake stop approximately 600 – 800 meters (600 to 800 yards).

BEDDING IN SERVICE – USAGE OF PRE-BEDDED PARTS

GET THE MAXIMUM OUT OF YOUR BRAKE WITH A MINIMUM AMOUNT OF TIME WHILE SAVING BARE MONEY – GET PRE-BEDDED PARTS!

Our racing brake pads are also available pre-bedded “ready to race”. Further information can be also found on page 36. Please ask your local dealer for our brake pads pre-bedded.

Using pre-bedded parts is always recommended, as they are run in a computer-controlled environment and can therefore deliver perfect performance for a very reasonable cost. Keep in mind every kilometer driving a race car is expensive!

Tips

AVOIDING BRAKE JUDDER

Brake judder is caused by an uneven buildup of pad material on the friction surface of the disc. This can occur with improper or incomplete bed-in, or when changing between incompatible pad materials on the same disc. During bed-in some judder can occur for the first 5 to 10 laps or until the discs and pads are sufficiently warmed and can vary from a barely noticeable vibration to a violent shake.

Uneven pad transfer can also be caused by Imprinting, which is staying too long on the pedal when the car is standing still, but the brakes are hot. Small particles of the friction material can bond into the disc surface, or potentially pull the transferred layer out of the disc surface.

BIGGER VS. SMALLER PAD

A bigger pad doesn't mean a bigger stopping power, but the greater heat capacity of the larger pad can improve modulation, wear rate and lead to more consistent performance.

PAD FADE VS. BRAKE FLUID FADE

Pad fade

If the temperature between pad and disc gets too high, the pad starts gasses out, building up an air cushion between pad and disc. The pedal remains stiff, but the stopping power is reduced. Solutions are an improved cooling, change to a higher temp range pad material or a higher mass brake disc.

Fluid fade

If there is too much energy being transferred to the caliper and fluid, it can boil the fluid. These gas bubbles being compressible, the pedal travel increases and becomes "spongy" with poor modulation. (This is a gradual process with advanced warning). Solutions include: Changing brake fluid to one with a higher boiling point, using a different pad compound with better heat transfer properties, or improving the cooling to prevent the fluid from boiling.

The importance of keeping fresh brake fluid in the system and regular bleeding cannot be overstressed.

WATCH THE TEMPS!

We recommend monitoring the peak brake disc temps with a thermal paint kit, the most common of which is the 3 color (Green, Orange, Red) system.

Ideally, the green paint (430°C / 806°F) should be completely oxidized (turns white), the orange paint (560°C / 1040°F) should be symmetrically beginning to oxidize and the red paint (610°C / 1130°F) should be un-touched or change only slightly.

Caliper temps can be monitored with temperature strips to assist with pinpointing heat-related system issues.



NEED FURTHER TIPS AND INFORMATION?

On our website www.pagidracing.com
under the section “**Information / Videos**”
or on our **YouTube channel** you can find
a variety of video tutorials, guiding you
through our product range and providing
useful tips and hacks for the correct
handling of your braking system.

VIDEO TUTORIALS



